

A randomized, double-blind, placebo-controlled trial of a highly purified equine F(ab)2 antibody black widow spider antivenom (Dart et al.). 2013; 61:458–467

Aortic arch syndromes

Acute superior vena cava syndrome after rupture of Kommerell's diverticulum: a case report (Suarez and Slivka). 2013;61:348–350 (Case Report)

Appendicitis, complications

[Adult intussusception caused by a perforated appendix] (Park and Choi). 2013;61:251 (Images in Emergency Medicine), 258 (Images in Emergency Medicine)

Arachnidism

A randomized, double-blind, placebo-controlled trial of a highly purified equine F(ab)2 antibody black widow spider antivenom (Dart et al.). 2013; 61:458–467

Aspergillus fumigatus

Multistate outbreak of fungal infection associated with injection of methylprednisolone acetate solution from a single compounding pharmacy—United States, 2012 (Centers for Disease Control and Prevention); Commentary (Lovato). 2013;61:364–367 (CDC Update)

Atrial fibrillation

Factors associated with 90-day death after emergency department discharge for atrial fibrillation (Atzema et al.). 2013;61:539–548

Authorship

Principal investigators in medical research: is what you see in fact what you get? (Huffman). 2013;61:13A–15A [May issue] (News & Perspective)

Automated external defibrillators. See Defibrillators

Avitaminosis, therapy

Implementing evidence-based changes in emergency department treatment: alternative vitamin therapy for alcohol-related illnesses (Shawn and Hoffman); Reply (Faine et al.). 2013;61:119–120 (Correspondence)

B

Bacterial infections

Opposition to routine abscess culturing (American College of Emergency Physicians). 2013;61:602 (Policy Statements)

"Bath salts"

Compartment syndrome after "bath salts" use: a case series (Levine et al.). 2013;61:480–483 (Case Report)

Benzodiazepines. See Midazolam; Olanzapine

BioHarness

Revitalizing a vital sign: improving detection of tachypnea at primary triage (Bianchi et al.). 2013;61:37–43

Bites and stings

In reply to evidence-based treatment of jellyfish stings in North America and Hawaii (Auerbach); Reply (Darracq et al.). 2013;61:253–255 (Correspondence), Correction 2013;61:352

Black box warnings

Are two drugs better than one for acute agitation? A discussion on black box warnings, waiver of informed consent, and the ethics of enrolling impaired subjects in clinical trials [Journal Club questions and answers for Chan et al., 2013;61:72–81] (Eucker et al.). 2013;61:82–83, 707–715

Black widow spider

A randomized, double-blind, placebo-controlled trial of a highly purified equine F(ab)2 antibody black widow spider antivenom (Dart et al.). 2013; 61:458–467

Bleomycin, adverse effects

[Bleomycin-related flagellate hyperpigmentation] (Chen et al.). 2013;61:152 (Images in Emergency Medicine), 154 (Images in Emergency Medicine)

Boarding

Crowding (American College of Emergency Physicians). 2013;61:726–727 (Policy Statements)
Effect of emergency department crowding on outcomes of admitted patients (Sun et al.). 2013;61:605–611
Emergency department crowding in California: a silent killer? (Pines) 2013; 61:612–614 (Editorial)

Body weights and measures

Estimating the weight of children in Kenya: do the Broselow tape and age-based formulas measure up? (House et al.). 2013;61:1–8

Book and media reviews

Book and media reviews 2013;61:128, 259, 376–377, 506–507, 600–601, 720

Brachial plexus neuropathies

Emergency bedside sonographic diagnosis of subclavian artery pseudoaneurysm with brachial plexopathy after clavicle fracture (Gullo et al.). 2013;61:204–206 (Case Report)

Brain injuries. See also Craniocerebral trauma; Intracranial hemorrhage, traumatic

Prediction value of the Canadian CT Head Rule and the New Orleans Criteria for positive head CT scan and acute neurosurgical procedures in minor head trauma: a multicenter external validation study (Boudia et al.). 2013;61:521–527
The prevalence of traumatic brain injuries after minor blunt head trauma in children with ventricular shunts (Nigrovic et al.). 2013;61:389–393
A Tunisian, a Canadian, and an American walk into a bar (sustaining mild head injury) (Reynolds). 2013;61:528–529 (Editorial)

Bronchiolitis

In infants younger than 24 months old and with bronchiolitis, does nebulized epinephrine improve clinical status? (Tudor and Hafner). 2013;61:289–290 (Systematic Review Snapshot)

Burnout, professional

Physician burnout: emergency physicians see triple risk of career affliction (Berger). 2013;61:17A–19A [March issue] (News & Perspective)

C

California

Emergency department crowding in California: a silent killer? (Pines) 2013; 61:612–614 (Editorial)

Canadian CT Head Rule

Prediction value of the Canadian CT Head Rule and the New Orleans Criteria for positive head CT scan and acute neurosurgical procedures in minor head trauma: a multicenter external validation study (Boudia et al.). 2013;61:521–527

Canadian Triage and Acuity Scale

Are we asking the right triage questions? (Pacella and Yealy). 2013;61:33–34 (Editorial)
Performance of the Canadian Triage and Acuity Scale for children: a multicenter database study (Gravel et al.). 2013;61:27–32
Triage systems: outcome measures to validate (Seiger and Moll). 2013;61: 372–373 (Correspondence)

Cancer. See Neoplasms

Capnography

Continuous capnography should be used for every single emergency department procedural sedation (Mohr and Wessman). 2013;61:697–698 (Clinical Controversies)
Routine capnography monitoring is not indicated for all patients undergoing emergency department procedural sedation (Terp and Schrager). 2013;61: 698–699 (Clinical Controversies)

Capsule endoscopy

Video capsule endoscopy in the emergency department: a prospective study of acute upper gastrointestinal hemorrhage (Meltzer et al.). 2013;61:438–443

Carcinoma, squamous cell

[Squamous cell carcinoma] (Wu and Pearson). 2013;61:520 (Images in Emergency Medicine), 527 (Images in Emergency Medicine)

Care coordination

Continuing care for patients choosing the emergency department as a site for primary care: feasibility, benefits, and EMTALA considerations [Journal Club questions for Doran et al., 2013;61:312–321] (Schrager and Barrett). 2013;61:322–323
Factors associated with 90-day death after emergency department discharge for atrial fibrillation (Atzema et al.). 2013;61:539–548
Hospital collaboration with emergency medical services in the care of patients with acute myocardial infarction: perspectives from key hospital staff (Landman et al.). 2013;61:185–195
Integrating emergency care into a patient- and outcome-centered health care system (Agrawal and Conway). 2013;61:301–302 (Editorial)
An intervention connecting low-acuity emergency department patients with primary care: effect on future primary care linkage (Doran et al.). 2013;61:312–321
Measuring the value of the emergency department from the patient's perspective (Dresden). 2013;61:324–325 (Editorial)
A novel approach to identifying targets for cost reduction in the emergency department (Smulowitz et al.). 2013;61:293–300 (Concepts)
"Patients who can't get an appointment go to the ER": access to specialty care for publicly insured children (Rhodes et al.). 2013;61:394–403

- Point-of-care testing may reduce length of stay but not emergency department crowding (Goodacre). 2013;61:153–154 (Editorial)
- The unappreciated challenges of between-unit handoffs: negotiating and coordinating across boundaries (Hilligoss and Cohen). 2013;61:155–160 (Concepts)
- Use of observation units growing: but variable billing practices sometimes leave patients on the financial hook (Huffman). 2013;61:21A–23A [February issue] (News & Perspective)
- Catheterization, central venous**
 Ultrasound-guided peripheral intravenous access program is associated with a marked reduction in central venous catheter use in noncritically ill emergency department patients (Shokoohi et al.). 2013;61:198–203
- Which central line insertion site is the least prone to infection? (Akhter et al.). 2013;61:362–363 (Systematic Review Snapshot)
- Catheterization, peripheral**
 Ultrasonographically guided peripheral intravenous cannulation of children and adults: a systematic review and meta-analysis (Heinrichs et al.). 2013; 61:444–454
- Ultrasound-guided peripheral intravenous access program is associated with a marked reduction in central venous catheter use in noncritically ill emergency department patients (Shokoohi et al.). 2013;61:198–203
- Cathinones**
 Compartment syndrome after “bath salts” use: a case series (Levine et al.). 2013;61:480–483 (Case Report)
- Central venous pressure**
 Point-of-care ultrasonography in assessing fluid responsiveness in sepsis patients: sonographer characteristics, noninferential statistics, and study design [Journal Club answers for Haydar et al., 2012;60:346–358] (Chiem). 2013;61:244–250
- Cephalosporins**
 Update to the CDC’s sexually transmitted diseases treatment guidelines, 2010: oral cephalosporins no longer a recommended treatment for gonococcal infections (Centers for Disease Control and Prevention); Commentary (Maldonado and Takhar). 2013;61:91–95
- Cerebral hemorrhage**
 Does platelet transfusion improve outcomes in patients with spontaneous or traumatic intracerebral hemorrhage? (Martin and Conlon). 2013;61:58–61 (Best Available Evidence)
- Cerebrospinal fluid shunts**
 The prevalence of traumatic brain injuries after minor blunt head trauma in children with ventricular shunts (Nigrovic et al.). 2013;61:389–393
- Chest.** *See under Thorax*
- Child.** *See also Adolescent; Infant; Pediatric emergency service*
 Accuracy of point-of-care ultrasonography for diagnosis of elbow fractures in children (Rabiner et al.). 2013;61:9–17
- Commentary: vehicular hyperthermia: the reason to look before you lock (Patek and Thoma). 2013;61:704–705 (NHTSA Notes)
- Do decongestants, antihistamines, and nasal irrigation relieve the symptoms of sinusitis in children? (Hom). 2013;61:35–36 (Systematic Review Snapshot)
- Does combination treatment with ibuprofen and acetaminophen improve fever control? (Malya). 2013;61:569–570 (Systematic Review Snapshot)
- Estimating the weight of children in Kenya: do the Broselow tape and age-based formulas measure up? (House et al.). 2013;61:1–8
- Head-to-head comparison of disaster triage methods in pediatric, adult, and geriatric patients (Cross and Cicero). 2013;61:668–676
- Intravenous dextrose for children with gastroenteritis and dehydration: a double-blind randomized controlled trial (Levy et al.). 2013;61:281–288
- Is pronation less painful and more effective than supination for reduction of a radial head subluxation? (Potis and Merrill). 2013;61:291–292 (Systematic Review Snapshot)
- Not-in-traffic surveillance—non-crash injuries (National Highway Traffic Safety Administration). 2013;61:703–704 (NHTSA Notes)
- “Patients who can’t get an appointment go to the ER”: access to specialty care for publicly insured children (Rhodes et al.). 2013;61:394–403
- Performance of the Canadian Triage and Acuity Scale for children: a multicenter database study (Gravel et al.). 2013;61:27–32
- The prevalence of traumatic brain injuries after minor blunt head trauma in children with ventricular shunts (Nigrovic et al.). 2013;61:389–393
- Triage systems: outcome measures to validate (Seiger and Moll). 2013;61: 372–373 (Correspondence)
- The utility of adding expiratory or decubitus chest radiographs to the radiographic evaluation of suspected pediatric airway foreign bodies (Brown et al.). 2013;61:19–26
- Videolaryngoscopy *versus* direct laryngoscopy in simulated pediatric intubation (Donoghue et al.). 2013;61:271–277
- Child abuse**
 [Subdural hemorrhage from suspected abusive head trauma] (Lee et al.). 2013;61:18 (Images in Emergency Medicine), 36 (Images in Emergency Medicine)
- CHIP**
 “Patients who can’t get an appointment go to the ER”: access to specialty care for publicly insured children (Rhodes et al.). 2013;61:394–403
- Clavicle, injuries**
 Emergency bedside sonographic diagnosis of subclavian artery pseudoaneurysm with brachial plexopathy after clavicle fracture (Gullo et al.). 2013;61:204–206 (Case Report)
- Clinical coding**
 Electronic medical records link to upcoding under fire: feds eye increasing evaluation & management billing codes (Cearnal). 2013;61:17A–19A [April issue] (News & Perspective)
- Clinical competence**
 Characterizing novice–expert differences in macrocognition: an exploratory study of cognitive work in the emergency department (Schubert et al.). 2013;61:96–109
- Critical skills: use them or lose them (Saloum). 2013;61:599 (Correspondence)
- How does one learn critical care procedures in a pediatric emergency department? (Green). 2013;61:279–280 (Editorial)
- The spectrum and frequency of critical procedures performed in a pediatric emergency department: implications of a provider-level view (Mittiga et al.). 2013;61:263–270
- Clinical decision rules.** *See also specific rules*
 A Tunisian, a Canadian, and an American walk into a bar (sustaining mild head injury) (Reynolds). 2013;61:528–529 (Editorial)
- Clinical decision support systems.** *See* Decision support systems, clinical
- Clinical laboratory techniques**
 Opposition to routine abscess culturing (American College of Emergency Physicians). 2013;61:602 (Policy Statements)
- Use of a comprehensive metabolic panel point-of-care test to reduce length of stay in the emergency department: a randomized controlled trial (Jang et al.). 2013;61:145–151
- Cnidarian venoms**
 In reply to evidence-based treatment of jellyfish stings in North America and Hawaii (Auerbach); Reply (Darracq et al.). 2013;61:253–255 (Correspondence), Correction 2013;61:352
- Cocaine**
 Passive multistate surveillance for neutropenia after use of cocaine or heroin possibly contaminated with levamisole (Vagi et al.). 2013;61:468–474 (Brief Research Report)
- Coding.** *See* Clinical coding
- Cognition**
 Characterizing novice–expert differences in macrocognition: an exploratory study of cognitive work in the emergency department (Schubert et al.). 2013;61:96–109
- Communication, interprofessional**
 Hospital collaboration with emergency medical services in the care of patients with acute myocardial infarction: perspectives from key hospital staff (Landman et al.). 2013;61:185–195
- Research or mom: listen to your mother (Hollander). 2013;61:196–197 (Editorial)
- The taxonomy of emergency department consultations—results of an expert consensus panel (Kessler et al.). 2013;61:161–166 (Concepts)
- The unappreciated challenges of between-unit handoffs: negotiating and coordinating across boundaries (Hilligoss and Cohen). 2013;61:155–160 (Concepts)
- Communication, professional–patient**
 Disclosure of harmful medical errors in out-of-hospital care (Lu et al.). 2013; 61:215–221 (Concepts)
- Physician e-mail and telephone contact after emergency department visit improves patient satisfaction: a crossover trial (Patel and Vinson). 2013;61: 632–637
- Providing telephone advice from the emergency department (American College of Emergency Physicians). 2013;61:725 (Policy Statements)
- Compartment syndromes**
 Compartment syndrome after “bath salts” use: a case series (Levine et al.). 2013;61:480–483 (Case Report)

Computerized physician order entry system. See Medical order entry systems

Conscious sedation

Continuous capnography should be used for every single emergency department procedural sedation (Mohr and Wessman). 2013;61:697–698 (Clinical Controversies)

Independent dosing of propofol and ketamine may improve procedural sedation compared with the combination “ketofol” (Shy et al.); Reply (Andolfatto). 2013;61:257–258 (Correspondence)

Routine capnography monitoring is not indicated for all patients undergoing emergency department procedural sedation (Terp and Schriger). 2013;61:698–699 (Clinical Controversies)

Consultation

The taxonomy of emergency department consultations—results of an expert consensus panel (Kessler et al.). 2013;61:161–166 (Concepts)

Continuity of patient care. See Care coordination

Contract services

Emergency physician contractual relationships (American College of Emergency Physicians). 2013;61:378 (Policy Statements)

Cooperative behavior

Hospital collaboration with emergency medical services in the care of patients with acute myocardial infarction: perspectives from key hospital staff (Landman et al.). 2013;61:185–195

Research or mom: listen to your mother (Hollander). 2013;61:196–197 (Editorial)

Copeptins

Copeptin improves the diagnostic performance of sensitive troponin I-Ultra but cannot rapidly rule out non-ST-elevation myocardial infarction at presentation to an emergency department (Charpentier et al.). 2013;61:549–558

Corrections

Does computed tomography rule out clinically significant cervical spine injuries in patients with obtunded or intubated blunt trauma? (Kirschner and Seupaul) [2012;60:737–738]. Correction 2013;61:261

In reply to evidence-based treatment of jellyfish stings in North America and Hawaii (Auerbach); Reply (Darracq et al.). 2013;61:253–255 (Correspondence), Correction 2013;61:352

Subclinical hypertensive heart disease in black patients with elevated blood pressure in an inner-city emergency department (Levy et al.) [2012;60:467–474]. Correction 2013;61:61

The threshold for CT scanning anticoagulated head injury patients is still not yet clear (Goergen et al.); Reply (Menditto et al.). 2013;61:500–502 (Correspondence), Correction 2013;61:614

Correspondence

Correspondence 2013;61:119–127, 252–258, 371–375, 500–505, 596–599, 718–722

Costs and cost analysis. See also Health care costs

Can quality-adjusted life-years and subgroups help us decide whether to treat late-arriving stroke patients with tissue plasminogen activator? (Waxman and Keeler). 2013;61:56–57 (Editorial)

Effect of emergency department crowding on outcomes of admitted patients (Sun et al.). 2013;61:605–611

A model of cost-effectiveness of tissue plasminogen activator in patient subgroups 3 to 4.5 hours after onset of acute ischemic stroke (Boudreau et al.). 2013;61:46–55

Cranial fontanelles

[Subdural hemorrhage from suspected abusive head trauma] (Lee et al.). 2013;61:18 (Images in Emergency Medicine), 36 (Images in Emergency Medicine)

Craniocerebral trauma. See also Brain injuries; Intracranial hemorrhage, traumatic

[Compound comminuted parietal skull fracture] (Berona et al.). 2013;61:615 (Images in Emergency Medicine), 630 (Images in Emergency Medicine)

The prevalence of traumatic brain injuries after minor blunt head trauma in children with ventricular shunts (Nigrovic et al.). 2013;61:389–393

Craniocerebral trauma, diagnosis

Prediction value of the Canadian CT Head Rule and the New Orleans Criteria for positive head CT scan and acute neurosurgical procedures in minor head trauma: a multicenter external validation study (Boudia et al.). 2013;61:521–527

The threshold for CT scanning anticoagulated head injury patients is still not yet clear (Goergen et al.); Reply (Menditto et al.). 2013;61:500–502 (Correspondence), Correction 2013;61:614

A Tunisian, a Canadian, and an American walk into a bar (sustaining mild head injury) (Reynolds). 2013;61:528–529 (Editorial)

Utility of S100B in head injury care (Graham and Rainer); Reply (Ribéreau-Gayon et al.). 2013;61:120–122 (Correspondence)

Cricoid cartilage

Videographic analysis of glottic view with increasing cricoid pressure force (Oh et al.). 2013;61:407–413

Critical care

Critical skills: use them or lose them (Saloum). 2013;61:599 (Correspondence)

How does one learn critical care procedures in a pediatric emergency department? (Green). 2013;61:279–280 (Editorial)

The spectrum and frequency of critical procedures performed in a pediatric emergency department: implications of a provider-level view (Mittiga et al.). 2013;61:263–270

Crotalidae polyvalent immune Fab

Failure to develop sensitization despite repeated administration of ovine Fab snake antivenom: update of a single-patient, multicenter case series (Lavonas et al.). 2013;61:371–372 (Correspondence)

Crowding. See also Length of stay

Crowding (American College of Emergency Physicians). 2013;61:726–727 (Policy Statements)

Effect of emergency department crowding on outcomes of admitted patients (Sun et al.). 2013;61:605–611

Emergency department crowding in California: a silent killer? (Pines) 2013; 61:612–614 (Editorial)

Point-of-care testing may reduce length of stay but not emergency department crowding (Goodacre). 2013;61:153–154 (Editorial)

Culture

A Tunisian, a Canadian, and an American walk into a bar (sustaining mild head injury) (Reynolds). 2013;61:528–529 (Editorial)

Culture techniques

Opposition to routine abscess culturing (American College of Emergency Physicians). 2013;61:602 (Policy Statements)

Cyanides, poisoning

Utility of sodium thiosulfate in acute cyanide toxicity (Calzada-Jeanlouie et al.); Reply (Bebarta et al.). 2013;61:124–126 (Correspondence)

Cysts

[Vallecular cyst] (Rudinsky and Lucio). 2013;61:388 (Images in Emergency Medicine), 406 (Images in Emergency Medicine)

D

Dabigatran

Hemorrhagic complications in emergency department patients who are receiving dabigatran compared with warfarin (Berger et al.). 2013;61:475–479 (Brief Research Report)

Databases

Congruence of disposition after emergency department intubation in the National Hospital Ambulatory Medical Care Survey (Green). 2013;61:423–426 (Brief Research Report)

Observational health services studies using nationwide administrative datasets: understanding strengths and limitations of the National Hospital Ambulatory Medical Care Survey (NHAMCS) [Journal Club questions for Pitts et al., 2012;60:679–686, and McCaig et al., 2012;60:716–721] (McNaughton and Self). 2013;61:593–594

Death

Uncontrolled donation after circulatory determination of death protocols: ethical challenges and suggestions for improvement (Ortega-Deballon et al.); Reply (Michael and Jesus). 2013;61:255–257 (Correspondence)

Decisionmaking

Characterizing novice–expert differences in macrocognition: an exploratory study of cognitive work in the emergency department (Schubert et al.). 2013;61:96–109

Decision rules, clinical. See Clinical decision rules

Decision support systems, clinical

The effect of computerized provider order entry systems on clinical care and work processes in emergency departments: a systematic review of the quantitative literature (Georgiou et al.). 2013;61:644–653 (Review Article)

Defibrillators

Determining risk for out-of-hospital cardiac arrest by location type in a Canadian urban setting to guide future public access defibrillator placement (Brooks et al.). 2013;61:530–538

Denver HIV Risk Score

Comparison of enhanced targeted rapid HIV screening using the Denver

- HIV Risk Score to nontargeted rapid HIV screening in the emergency department (Haukoos et al.). 2013;61:353–361
- Determination of death.** *See* Death
- Developing countries**
Estimating the weight of children in Kenya: do the Broselow tape and age-based formulas measure up? (House et al.). 2013;61:1–8
- Dextrose.** *See* Glucose
- Diagnostic imaging.** *See also specific modalities*
Interpretation of imaging diagnostic studies (American College of Emergency Physicians). 2013;61:724–725 (Policy Statements)
- Dietary supplements**
Pharmacokinetic data distinguish abusive *versus* dietary supplement uses of 1,3-dimethylamylamine (Rodricks et al.). 2013;61:717 (Correspondence)
- Diffusion magnetic resonance imaging**
Does diffusion-weighted imaging predict short-term risk of stroke in emergency department patients with transient ischemic attack? (Oostema et al.). 2013;61:62–71 (Critically Appraised Topic)
- 1,3-Dimethylamylamine**
Pharmacokinetic data distinguish abusive *versus* dietary supplement uses of 1,3-dimethylamylamine (Rodricks et al.). 2013;61:717 (Correspondence)
- Disasters**
Head-to-head comparison of disaster triage methods in pediatric, adult, and geriatric patients (Cross and Cicero). 2013;61:668–676
Pain control in disaster settings: a role for ultrasound-guided nerve blocks (Lippert et al.). 2013;61:690–696 (Concepts)
Systematic review of strategies to manage and allocate scarce resources during mass casualty events (Timbie et al.). 2013;61:677–689 (Review Article)
- Disclosure**
Disclosure of harmful medical errors in out-of-hospital care (Lu et al.). 2013;61:215–221 (Concepts)
- Diverticulum**
Acute superior vena cava syndrome after rupture of Kommerell's diverticulum: a case report (Suarez and Slivka). 2013;61:348–350 (Case Report)
- DMAA.** *See* 1,3-Dimethylamylamine
- Dopamine**
Vasopressors for hypotensive shock (Lampard and Lang). 2013;61:351–352 (Systematic Review Snapshot)
- Droperidol**
Are two drugs better than one for acute agitation? A discussion on black box warnings, waiver of informed consent, and the ethics of enrolling impaired subjects in clinical trials [Journal Club questions and answers for Chan et al., 2013;61:72–81] (Eucker et al.). 2013;61:82–83, 707–715
Intravenous droperidol or olanzapine as an adjunct to midazolam for the acutely agitated patient: a multicenter, randomized, double-blind, placebo-controlled clinical trial (Chan et al.). 2013;61:72–81
Intravenous droperidol or olanzapine as an adjunct to midazolam for the acutely agitated patient: a multicenter, randomized, double-blind, placebo-controlled clinical trial (Sud et al.); Reply (Chan et al.). 2013;61:597–599 (Correspondence)
- Drug abuse.** *See* Substance-related disorders
- Drug contamination**
Multistate outbreak of fungal infection associated with injection of methylprednisolone acetate solution from a single compounding pharmacy—United States, 2012 (Centers for Disease Control and Prevention); Commentary (Lovato). 2013;61:364–367 (CDC Update)
Passive multistate surveillance for neutropenia after use of cocaine or heroin possibly contaminated with levamisole (Vagi et al.). 2013;61:468–474 (Brief Research Report)
- Drug industry**
Principal investigators in medical research: is what you see in fact what you get? (Huffman). 2013;61:13A–15A [May issue] (News & Perspective)
- Drug prescriptions**
Controlling opioid abuse in the emergency department: legitimate public policy or “legislative medicine”? (Huffman). 2013;61:13A–15A [June issue] (News & Perspective)
Emergency department discharge prescription interventions by emergency medicine pharmacists (Cesarz et al.). 2013;61:209–214 (Brief Research Report)
- Drug toxicity**
Are two drugs better than one for acute agitation? A discussion on black box warnings, waiver of informed consent, and the ethics of enrolling impaired subjects in clinical trials [Journal Club questions and answers for Chan et al., 2013;61:72–81] (Eucker et al.). 2013;61:82–83, 707–715
- E**
- Economics, hospital.** *See* Hospital, economics
- Education, medical, graduate.** *See* Internship and residency; Teaching, methods
- Efficiency**
Assessment of Medicare's imaging efficiency measure for emergency department patients with traumatic headache (Arday et al.); Reply (Schuur and Raja). 2013;61:718–719 (Correspondence)
A novel approach to identifying targets for cost reduction in the emergency department (Smulowitz et al.). 2013;61:293–300 (Concepts)
- Elbow joint, injuries**
Accuracy of point-of-care ultrasonography for diagnosis of elbow fractures in children (Rabiner et al.). 2013;61:9–17
Is pronation less painful and more effective than supination for reduction of a radial head subluxation? (Poris and Merrill). 2013;61:291–292 (Systematic Review Snapshot)
- Electrocardiography**
Nationwide improvement of door-to-balloon times in patients with acute ST-segment elevation myocardial infarction requiring primary percutaneous coronary intervention with out-of-hospital 12-lead ECG recording and transmission (Ong et al.). 2013;61:339–347
- Electronic health records**
Electronic medical records link to upcoding under fire: feds eye increasing evaluation & management billing codes (Cearnal). 2013;61:17A–19A [April issue] (News & Perspective)
- Electronic mail**
Physician e-mail and telephone contact after emergency department visit improves patient satisfaction: a crossover trial (Patel and Vinson). 2013;61:632–637
- Emergency medical services (out-of-hospital)**
Disclosure of harmful medical errors in out-of-hospital care (Lu et al.). 2013;61:215–221 (Concepts)
- Emergency medical services (out-of-hospital), methods**
The effect of an ambulance diversion ban on emergency department length of stay and ambulance turnaround time (Burke et al.). 2013;61:303–311
Emergency medical services out-of-hospital scene and transport times and their association with mortality in trauma patients presenting to an urban level I trauma center (McCoy et al.). 2013;61:167–174
EMS triage and transport of intoxicated individuals to a detoxification facility instead of an emergency department (Ross et al.). 2013;61:175–184
Hospital collaboration with emergency medical services in the care of patients with acute myocardial infarction: perspectives from key hospital staff (Landman et al.). 2013;61:185–195
Nationwide improvement of door-to-balloon times in patients with acute ST-segment elevation myocardial infarction requiring primary percutaneous coronary intervention with out-of-hospital 12-lead ECG recording and transmission (Ong et al.). 2013;61:339–347
Research or mom: listen to your mother (Hollander). 2013;61:196–197 (Editorial)
- Emergency medicine**
The future of emergency medicine: update 2011 (Gardner et al.). 2013;61:624–630 (Special Contribution)
- Emergency service, hospital**
An early look at performance on the emergency care measures included in Medicare's Hospital Inpatient Value-Based Purchasing Program (McHugh et al.). 2013;61:616–623
Measuring the value of the emergency department from the patient's perspective (Dresden). 2013;61:324–325 (Editorial)
Public health interventions in the emergency department: one resident's perspective (Taira). 2013;61:326–329 (Residents' Perspective)
- Emergency service, hospital, economics**
Integrating emergency care into a patient- and outcome-centered health care system (Agrawal and Conway). 2013;61:301–302 (Editorial)
A novel approach to identifying targets for cost reduction in the emergency department (Smulowitz et al.). 2013;61:293–300 (Concepts)
- Emergency service, hospital, manpower**
Emergency care crisis in the United Kingdom and Ireland: emergency physician exodus looms in wake of pay cuts, staffing shortages (Flynn). 2013;61:9A–13A [May issue] (News & Perspective)
The future of emergency medicine: update 2011 (Gardner et al.). 2013;61:624–630 (Special Contribution)

Emergency service, hospital, utilization. See also Boarding; Crowding; Length of stay
Do patient-reported symptoms predict emergency department visits in cancer patients? A population-based analysis (Barbera et al.). 2013;61:427–437
Integrating emergency care into a patient- and outcome-centered health care system (Agrawal and Conway). 2013;61:301–302 (Editorial)
An intervention connecting low-acuity emergency department patients with primary care: effect on future primary care linkage (Doran et al.). 2013;61:312–321
A novel approach to identifying targets for cost reduction in the emergency department (Smulowitz et al.). 2013;61:293–300 (Concepts)
“Patients who can’t get an appointment go to the ER”: access to specialty care for publicly insured children (Rhodes et al.). 2013;61:394–403

Endoscopy, video capsule. See Capsule endoscopy

Epinephrine

In infants younger than 24 months old and with bronchiolitis, does nebulized epinephrine improve clinical status? (Tudor and Hafner). 2013;61:289–290 (Systematic Review Snapshot)

Ethics, research

Are two drugs better than one for acute agitation? A discussion on black box warnings, waiver of informed consent, and the ethics of enrolling impaired subjects in clinical trials [Journal Club questions and answers for Chan et al., 2013;61:72–81] (Eucker et al.). 2013;61:82–83, 707–715
Principal investigators in medical research: is what you see in fact what you get? (Huffman). 2013;61:13A–15A [May issue] (News & Perspective)
re-PA and stroke: does IST-3 make it all clear or muddy the waters? [Journal Club answers for IST Collaborative Group, *Lancet* 2012;379:2352–2363] (Radecki et al.). 2013;61:489–498

Etomidate

In patients with severe sepsis, does a single dose of etomidate to facilitate intubation increase mortality? (Hunter and Kirschner). 2013;61:571–572 (Systematic Review Snapshot)

F

Family

Bearing witness: more emergency physicians allowing families in the resuscitation room (Kenen). 2013;61:13A–14A [January issue] (News & Perspective)

Fellowships and scholarships

American Board of Emergency Medicine report on residency training information (2012–2013), American Board of Emergency Medicine (Smith-Coggins et al.). 2013;61:584–592 (Special Contribution)

Fever

Call for a rational approach for testing for urinary tract infection as a source of fever in infants (Shaw). 2013;61:565–568 (Editorial)
Does combination treatment with ibuprofen and acetaminophen improve fever control? (Malya). 2013;61:569–570 (Systematic Review Snapshot)
Pediatric urinary tract infection: does the evidence support aggressively pursuing the diagnosis? (Newman et al.). 2013;61:559–565 (Concepts)

Fibrinolytic agents.

 See also Tissue plasminogen activator

Are thrombolytics indicated for pulmonary embolism? (Morton and Omron). 2013;61:455–457 (Systematic Review Snapshot)

Financial management, hospital

Use of observation units growing: but variable billing practices sometimes leave patients on the financial hook (Huffman). 2013;61:21A–23A [February issue] (News & Perspective)

Financing, government

Emergency care crisis in the United Kingdom and Ireland: emergency physician exodus looms in wake of pay cuts, staffing shortages (Flynn). 2013;61:9A–13A [May issue] (News & Perspective)
Financing of graduate medical education in emergency medicine (American College of Emergency Physicians). 2013;61:260 (Policy Statements)

Firearms

A call to action: firearms, public health, and emergency medicine (Ranney et al.). 2013;61:700–702 (Editorial)
Firearm injury prevention (American College of Emergency Physicians). 2013;61:602–603 (Policy Statements)
No easy answers: emergency physicians engage in gun control debate (Berger). 2013;61:16A–18A [June issue] (News & Perspective)

Fluid therapy

Intravenous dextrose for children with gastroenteritis and dehydration: a double-blind randomized controlled trial (Levy et al.). 2013;61:281–288

Follow-up care. See Aftercare

Foreign bodies

The utility of adding expiratory or decubitus chest radiographs to the radiographic evaluation of suspected pediatric airway foreign bodies (Brown et al.). 2013;61:19–26

Fractures, bone, ultrasonography

Accuracy of point-of-care ultrasonography for diagnosis of elbow fractures in children (Rabiner et al.). 2013;61:9–17
Emergency bedside sonographic diagnosis of subclavian artery pseudoaneurysm with brachial plexopathy after clavicle fracture (Gullo et al.). 2013;61:204–206 (Case Report)

Fractures, comminuted

[Compound comminuted parietal skull fracture] (Berona et al.). 2013;61:615 (Images in Emergency Medicine), 630 (Images in Emergency Medicine)

Fungal meningitis. See Meningitis, fungal

G

Gastroenteritis

Intravenous dextrose for children with gastroenteritis and dehydration: a double-blind randomized controlled trial (Levy et al.). 2013;61:281–288

Gastrointestinal hemorrhage

Video capsule endoscopy in the emergency department: a prospective study of acute upper gastrointestinal hemorrhage (Meltzer et al.). 2013;61:438–443

Geographic locations

A Tunisian, a Canadian, and an American walk into a bar (sustaining mild head injury) (Reynolds). 2013;61:528–529 (Editorial)

Glucose

Intravenous dextrose for children with gastroenteritis and dehydration: a double-blind randomized controlled trial (Levy et al.). 2013;61:281–288

Gonorrhea

Update to the CDC’s sexually transmitted diseases treatment guidelines, 2010: oral cephalosporins no longer a recommended treatment for gonococcal infections (Centers for Disease Control and Prevention); Commentary (Maldonado and Takhar). 2013;61:91–95

Government financing. See Financing, government

Grants, research. See Research support

Granuloma, pyogenic

[Pyogenic granuloma] (Staple and Saidinejad). 2013;61:716 (Images in Emergency Medicine), 723 (Images in Emergency Medicine)

Great Britain

Emergency care crisis in the United Kingdom and Ireland: emergency physician exodus looms in wake of pay cuts, staffing shortages (Flynn). 2013;61:9A–13A [May issue] (News & Perspective)

Guns. See Firearms

Gunshot wounds. See Wounds, gunshot

H

Handoffs

The unappreciated challenges of between-unit handoffs: negotiating and coordinating across boundaries (Hilligoss and Cohen). 2013;61:155–160 (Concepts)

Head, radiography

Assessment of Medicare’s imaging efficiency measure for emergency department patients with atraumatic headache (Arday et al.); Reply (Schnur and Raja). 2013;61:718–719 (Correspondence)
Clinical suspicion of subarachnoid hemorrhage and negative head computed tomographic scan performed within 6 hours of headache onset—no need for lumbar puncture (Vergouwen and Rinkel); Reply (Mark et al.). 2013;61:503–505 (Correspondence)
Prediction value of the Canadian CT Head Rule and the New Orleans Criteria for positive head CT scan and acute neurosurgical procedures in minor head trauma: a multicenter external validation study (Bouida et al.). 2013;61:521–527

The threshold for CT scanning anticoagulated head injury patients is still not yet clear (Goergen et al.); Reply (Menditto et al.). 2013;61:500–502 (Correspondence), Correction 2013;61:614

A Tunisian, a Canadian, and an American walk into a bar (sustaining mild head injury) (Reynolds). 2013;61:528–529 (Editorial)

Headache

Are there pharmacologic agents that safely and effectively treat post-lumbar puncture headache? (Hunter and Seupaul). 2013;61:84–85 (Systematic Review Snapshot)

- Assessment of Medicare's imaging efficiency measure for emergency department patients with atraumatic headache (Arday et al.); Reply (Schuur and Raja). 2013;61:718–719 (Correspondence)
- Clinical suspicion of subarachnoid hemorrhage and negative head computed tomographic scan performed within 6 hours of headache onset—no need for lumbar puncture (Vergouwen and Rinkel); Reply (Mark et al.). 2013;61:503–505 (Correspondence)
- Health care costs**
- Electronic medical records link to upcoding under fire: feds eye increasing evaluation & management billing codes (Cearnal). 2013;61:17A–19A [April issue] (News & Perspective)
- Integrating emergency care into a patient- and outcome-centered health care system (Agrawal and Conway). 2013;61:301–302 (Editorial)
- A novel approach to identifying targets for cost reduction in the emergency department (Smulowitz et al.). 2013;61:293–300 (Concepts)
- Health care reform**
- The future of emergency medicine: update 2011 (Gardner et al.). 2013;61:624–630 (Special Contribution)
- Integrating emergency care into a patient- and outcome-centered health care system (Agrawal and Conway). 2013;61:301–302 (Editorial)
- A novel approach to identifying targets for cost reduction in the emergency department (Smulowitz et al.). 2013;61:293–300 (Concepts)
- Health services accessibility**
- "Patients who can't get an appointment go to the ER": access to specialty care for publicly insured children (Rhodes et al.). 2013;61:394–403
- Heart arrest.** *See also* Myocardial infarction
- Determining risk for out-of-hospital cardiac arrest by location type in a Canadian urban setting to guide future public access defibrillator placement (Brooks et al.). 2013;61:530–538
- Heat stress disorders**
- Commentary: vehicular hyperthermia: the reason to look before you look (Patek and Thoma). 2013;61:704–705 (NHTSA Notes)
- Hematoma**
- Emergency bedside sonographic diagnosis of subclavian artery pseudoaneurysm with brachial plexopathy after clavicle fracture (Gullo et al.). 2013;61:204–206 (Case Report)
- Hematoma, subdural**
- [Subdural hemorrhage from suspected abusive head trauma] (Lee et al.). 2013;61:18 (Images in Emergency Medicine), 36 (Images in Emergency Medicine)
- Hernia, hiatal**
- [Paraesophageal hernia with gastric volvulus] (Quaday et al.). 2013;61:e1–e2 [January issue] (Images in Emergency Medicine)
- Heroin**
- Passive multistate surveillance for neutropenia after use of cocaine or heroin possibly contaminated with levamisole (Vagi et al.). 2013;61:468–474 (Brief Research Report)
- Histamine antagonists**
- Do decongestants, antihistamines, and nasal irrigation relieve the symptoms of sinusitis in children? (Hom). 2013;61:35–36 (Systematic Review Snapshot)
- HIV, diagnosis**
- Comparison of enhanced targeted rapid HIV screening using the Denver HIV Risk Score to nontargeted rapid HIV screening in the emergency department (Haukoos et al.). 2013;61:353–361
- Hospital, economics**
- An early look at performance on the emergency care measures included in Medicare's Hospital Inpatient Value-Based Purchasing Program (McHugh et al.). 2013;61:616–623
- Use of observation units growing: but variable billing practices sometimes leave patients on the financial hook (Huffman). 2013;61:21A–23A [February issue] (News & Perspective)
- Hospital administrators**
- Hospital administrators' views on barriers and opportunities to delivering palliative care in the emergency department (Grudzen et al.). 2013;61:654–660
- Hospital information systems**
- The effect of computerized provider order entry systems on clinical care and work processes in emergency departments: a systematic review of the quantitative literature (Georgiou et al.). 2013;61:644–653 (Review Article)
- Patient medical condition identification systems (American College of Emergency Physicians). 2013;61:725 (Policy Statements)
- Perceptions of the effect of information and communication technology on the quality of care delivered in emergency departments: a cross-site qualitative study (Callen et al.). 2013;61:131–144
- Hospital Inpatient Value-Based Purchasing Program**
- An early look at performance on the emergency care measures included in Medicare's Hospital Inpatient Value-Based Purchasing Program (McHugh et al.). 2013;61:616–623
- Hospitalization.** *See* Patient admission
- Hospitalized patients.** *See* Inpatients
- Hyperpigmentation**
- [Bleomycin-related flagellate hyperpigmentation] (Chen et al.). 2013;61:152 (Images in Emergency Medicine), 154 (Images in Emergency Medicine)
- Hypovolemia**
- Point-of-care ultrasonography in assessing fluid responsiveness in sepsis patients: sonographer characteristics, noninferential statistics, and study design [Journal Club answers for Haydar et al., 2012;60:346–358] (Chiem). 2013;61:244–250
- I**
- Ibuprofen**
- Does combination treatment with ibuprofen and acetaminophen improve fever control? (Malya). 2013;61:569–570 (Systematic Review Snapshot)
- Individual interactive instruction**
- Individual interactive instruction: an innovative enhancement to resident education (Reiter et al.). 2013;61:110–113 (Residents' Perspective)
- Infant.** *See also* Child
- Apparent life-threatening event: multicenter prospective cohort study to develop a clinical decision rule for admission to the hospital (Kaji et al.). 2013;61:379–387
- Call for a rational approach for testing for urinary tract infection as a source of fever in infants (Shaw). 2013;61:565–568 (Editorial)
- Does combination treatment with ibuprofen and acetaminophen improve fever control? (Malya). 2013;61:569–570 (Systematic Review Snapshot)
- In infants younger than 24 months old and with bronchiolitis, does nebulized epinephrine improve clinical status? (Tudor and Hafner). 2013;61:289–290 (Systematic Review Snapshot)
- Pediatric urinary tract infection: does the evidence support aggressively pursuing the diagnosis? (Newman et al.). 2013;61:559–565 (Concepts)
- [Staphylococcal scalded skin syndrome] (Conway et al.). 2013;61:118 (Images in Emergency Medicine), 129 (Images in Emergency Medicine)
- [Subdural hemorrhage from suspected abusive head trauma] (Lee et al.). 2013;61:18 (Images in Emergency Medicine), 36 (Images in Emergency Medicine)
- Infantile apparent life-threatening event**
- Apparent life-threatening event: multicenter prospective cohort study to develop a clinical decision rule for admission to the hospital (Kaji et al.). 2013;61:379–387
- Influenza, human, diagnosis**
- Evaluation of 11 commercially available rapid influenza diagnostic tests—United States, 2011–2012 (Centers for Disease Control and Prevention); Commentary (Peterson et al.). 2013;61:573–577 (CDC Update)
- How accurate are rapid influenza diagnostic tests? (Jacobus and Raja). 2013;61:89–90 (Systematic Review Snapshot)
- Information systems.** *See* Databases; Hospital information systems
- Informed consent**
- Are two drugs better than one for acute agitation? A discussion on black box warnings, waiver of informed consent, and the ethics of enrolling impaired subjects in clinical trials [Journal Club questions and answers for Chan et al., 2013;61:72–81] (Eucker et al.). 2013;61:82–83, 707–715
- Inpatients.** *See also* Boarding
- Effect of emergency department crowding on outcomes of admitted patients (Sun et al.). 2013;61:605–611
- Insurance, health.** *See also* Medical assistance; Medicare
- Insurance prior authorization approval does not substantially lengthen the emergency department length of stay for patients with psychiatric conditions (Funkenstein et al.). 2013;61:596–597 (Correspondence)
- Use of observation units growing: but variable billing practices sometimes leave patients on the financial hook (Huffman). 2013;61:21A–23A [February issue] (News & Perspective)
- Intensive care units**
- Traumatic intracranial hemorrhage, value in health care, and being important (Carr and Welch). 2013;61:518–519 (Editorial)
- Variability of ICU use in adult patients with minor traumatic intracranial hemorrhage (Nishijima et al.). 2013;61:509–517

Internship and residency

- American Board of Emergency Medicine report on residency training information (2012–2013), American Board of Emergency Medicine (Smith-Coggins et al.). 2013;61:584–592 (Special Contribution)
- Emergency medicine rural rotations: a program director's guide (Casaletto et al.). 2013;61:578–583 (Concepts)
- How does one learn critical care procedures in a pediatric emergency department? (Green). 2013;61:279–280 (Editorial)
- Individual interactive instruction: an innovative enhancement to resident education (Reiter et al.). 2013;61:110–113 (Residents' Perspective)
- Public health interventions in the emergency department: one resident's perspective (Taïra). 2013;61:326–329 (Residents' Perspective)
- Resident liability in medical malpractice (Bailey). 2013;61:114–117 (Residents' Perspective)
- Video laryngoscopy is a valuable adjunct in emergency airway management but is not sufficient as an exclusive method of training residents (Wilcox et al.); Reply (Sakles). 2013;61:252–253 (Correspondence)

Internship and residency, economics

- Financing of graduate medical education in emergency medicine (American College of Emergency Physicians). 2013;61:260 (Policy Statements)

Interprofessional communication. See Communication, interprofessional**Intestinal volvulus**

- [Paraesophageal hernia with gastric volvulus] (Quaday et al.). 2013;61:e1–e2 [January issue] (Images in Emergency Medicine)

Intracerebral hemorrhage. See Cerebral hemorrhage**Intracranial hemorrhage, traumatic**

- Delayed intracranial hemorrhage from mild head injury and warfarin use (Rasler); Reply (Nishijima et al.). 2013;61:126–127 (Correspondence)
- Does platelet transfusion improve outcomes in patients with spontaneous or traumatic intracerebral hemorrhage? (Martin and Conlon). 2013;61:58–61 (Best Available Evidence)
- [Subdural hemorrhage from suspected abusive head trauma] (Lee et al.). 2013;61:18 (Images in Emergency Medicine), 36 (Images in Emergency Medicine)
- The threshold for CT scanning anticoagulated head injury patients is still not yet clear (Goergen et al.); Reply (Menditto et al.). 2013;61:500–502 (Correspondence), Correction 2013;61:614
- Traumatic intracranial hemorrhage, value in health care, and being important (Carr and Welch). 2013;61:518–519 (Editorial)
- Variability of ICU use in adult patients with minor traumatic intracranial hemorrhage (Nishijima et al.). 2013;61:509–517

Intracranial hemorrhages

- Clinical suspicion of subarachnoid hemorrhage and negative head computed tomographic scan performed within 6 hours of headache onset—no need for lumbar puncture (Vergouwen and Rinkel); Reply (Mark et al.). 2013;61:503–505 (Correspondence)
- Does platelet transfusion improve outcomes in patients with spontaneous or traumatic intracerebral hemorrhage? (Martin and Conlon). 2013;61:58–61 (Best Available Evidence)

Intubation, intratracheal

- Congruence of disposition after emergency department intubation in the National Hospital Ambulatory Medical Care Survey (Green). 2013;61:423–426 (Brief Research Report)
- In patients with severe sepsis, does a single dose of etomidate to facilitate intubation increase mortality? (Hunter and Kirschner). 2013;61:571–572 (Systematic Review Snapshot)

Intubation, intratracheal, instrumentation. See Laryngoscopes**Intussusception**

- [Adult intussusception caused by a perforated appendix] (Park and Choi). 2013;61:251 (Images in Emergency Medicine), 258 (Images in Emergency Medicine)

Iraq

- Balad's final dispo (Goolsby). 2013;61:368–369 (Change of Shift)

Ireland

- Emergency care crisis in the United Kingdom and Ireland: emergency physician exodus looms in wake of pay cuts, staffing shortages (Flynn). 2013;61:9A–13A [May issue] (News & Perspective)

Ischemic attack, transient

- Does diffusion-weighted imaging predict short-term risk of stroke in emergency department patients with transient ischemic attack? (Oostema et al.). 2013;61:62–71 (Critically Appraised Topic)

J**Jellyfish stings**

- In reply to evidence-based treatment of jellyfish stings in North America and Hawaii (Auerbach); Reply (Darracq et al.). 2013;61:253–255 (Correspondence), Correction 2013;61:352

Jurisprudence

- A call to action: firearms, public health, and emergency medicine (Ranney et al.). 2013;61:700–702 (Editorial)
- No easy answers: emergency physicians engage in gun control debate (Berger). 2013;61:16A–18A [June issue] (News & Perspective)

K**Kenya**

- Estimating the weight of children in Kenya: do the Broselow tape and age-based formulas measure up? (House et al.). 2013;61:1–8

Ketamine

- Independent dosing of propofol and ketamine may improve procedural sedation compared with the combination "ketofol" (Shy et al.); Reply (Andolfatto). 2013;61:257–258 (Correspondence)

Kidney function tests

- Use of a comprehensive metabolic panel point-of-care test to reduce length of stay in the emergency department: a randomized controlled trial (Jang et al.). 2013;61:145–151

L**Laboratory testing.** See Clinical laboratory techniques**Lactic acid, diagnostic use**

- Prognostic value of plasma lactate levels among patients with acute pulmonary embolism: the thrombo-embolism lactate outcome study (Vanni et al.). 2013;61:330–338

Laryngoscopes

- A comparison of the GlideScope video laryngoscope to the C-MAC video laryngoscope for intubation in the emergency department (Mosier et al.). 2013;61:414–420
- Video graphic analysis of glottic view with increasing cricoid pressure force (Oh et al.). 2013;61:407–413
- Video laryngoscopy, regardless of blade shape, still requires a backup plan (Levitan). 2013;61:421–422 (Editorial)
- Video laryngoscopy is a valuable adjunct in emergency airway management but is not sufficient as an exclusive method of training residents (Wilcox et al.); Reply (Sakles). 2013;61:252–253 (Correspondence)
- Videolaryngoscopy versus direct laryngoscopy in simulated pediatric intubation (Donoghue et al.). 2013;61:271–277

Law enforcement

- Tactical emergency medicine support (American College of Emergency Physicians). 2013;61:261 (Policy Statements)

Laws. See Jurisprudence**Length of stay**

- The effect of an ambulance diversion ban on emergency department length of stay and ambulance turnaround time (Burke et al.). 2013;61:303–311
- Insurance prior authorization approval does not substantially lengthen the emergency department length of stay for patients with psychiatric conditions (Funkenstein et al.). 2013;61:596–597 (Correspondence)
- Point-of-care testing may reduce length of stay but not emergency department crowding (Goodacre). 2013;61:153–154 (Editorial)
- Use of a comprehensive metabolic panel point-of-care test to reduce length of stay in the emergency department: a randomized controlled trial (Jang et al.). 2013;61:145–151

Levamisole

- Passive multistate surveillance for neutropenia after use of cocaine or heroin possibly contaminated with levamisole (Vagi et al.). 2013;61:468–474 (Brief Research Report)

Liability, legal

- Resident liability in medical malpractice (Bailey). 2013;61:114–117 (Residents' Perspective)

Liver function tests

- Use of a comprehensive metabolic panel point-of-care test to reduce length of stay in the emergency department: a randomized controlled trial (Jang et al.). 2013;61:145–151

Ludwig's angina

- [Ludwig's angina] (Herbert-Cohen et al.). 2013;61:278 (Images in Emergency Medicine), 288 (Images in Emergency Medicine)

M

Magnetic resonance imaging

Does diffusion-weighted imaging predict short-term risk of stroke in emergency department patients with transient ischemic attack? (Oostema et al.). 2013;61:62–71 (Critically Appraised Topic)

Malpractice

Disclosure of harmful medical errors in out-of-hospital care (Lu et al.). 2013; 61:215–221 (Concepts)

Resident liability in medical malpractice (Bailey). 2013;61:114–117 (Residents' Perspective)

Manipulation, orthopedic

Is pronation less painful and more effective than supination for reduction of a radial head subluxation? (Potis and Merrill). 2013;61:291–292 (Systematic Review Snapshot)

Marijuana abuse

What is the accuracy of screening instruments for alcohol and cannabis misuse disorders among adolescents and young adults in the emergency department? (Louis et al.). 2013;61:404–406 (Systematic Review Snapshot)

Massachusetts

The effect of an ambulance diversion ban on emergency department length of stay and ambulance turnaround time (Burke et al.). 2013;61:303–311

Mass casualty incidents. *See* Disasters**Medical assistance.** *See also* Medicare

"Patients who can't get an appointment go to the ER": access to specialty care for publicly insured children (Rhodes et al.). 2013;61:394–403

Medical errors

Disclosure of harmful medical errors in out-of-hospital care (Lu et al.). 2013; 61:215–221 (Concepts)

Medical order entry systems

The effect of computerized provider order entry systems on clinical care and work processes in emergency departments: a systematic review of the quantitative literature (Georgiou et al.). 2013;61:644–653 (Review Article)

Medicare

Assessment of Medicare's imaging efficiency measure for emergency department patients with traumatic headache (Arday et al.); Reply (Schuur and Raja). 2013;61:718–719 (Correspondence)

An early look at performance on the emergency care measures included in Medicare's Hospital Inpatient Value-Based Purchasing Program (McHugh et al.). 2013;61:616–623

Electronic medical records link to upcoding under fire: feds eye increasing evaluation & management billing codes (Cearnal). 2013;61:17A–19A [April issue] (News & Perspective)

Use of observation units growing: but variable billing practices sometimes leave patients on the financial hook (Huffman). 2013;61:21A–23A [February issue] (News & Perspective)

Meningitis, fungal

Multistate outbreak of fungal infection associated with injection of methylprednisolone acetate solution from a single compounding pharmacy—United States, 2012 (Centers for Disease Control and Prevention); Commentary (Lovato). 2013;61:364–367 (CDC Update)

Mentally ill persons

Insurance prior authorization approval does not substantially lengthen the emergency department length of stay for patients with psychiatric conditions (Funkenstein et al.). 2013;61:596–597 (Correspondence)

Metabolic panel

Use of a comprehensive metabolic panel point-of-care test to reduce length of stay in the emergency department: a randomized controlled trial (Jang et al.). 2013;61:145–151

Methylprednisolone

Multistate outbreak of fungal infection associated with injection of methylprednisolone acetate solution from a single compounding pharmacy—United States, 2012 (Centers for Disease Control and Prevention); Commentary (Lovato). 2013;61:364–367 (CDC Update)

Midazolam

Are two drugs better than one for acute agitation? A discussion on black box warnings, waiver of informed consent, and the ethics of enrolling impaired subjects in clinical trials [Journal Club questions and answers for Chan et al., 2013;61:72–81] (Eucker et al.). 2013;61:82–83, 707–715

Intravenous droperidol or olanzapine as an adjunct to midazolam for the acutely agitated patient: a multicenter, randomized, double-blind, placebo-controlled clinical trial (Chan et al.). 2013;61:72–81

Intravenous droperidol or olanzapine as an adjunct to midazolam for the

acutely agitated patient: a multicenter, randomized, double-blind, placebo-controlled clinical trial (Sud et al.); Reply (Chan et al.). 2013;61:597–599 (Correspondence)

Military medicine

Balad's final dispo (Goolsby). 2013;61:368–369 (Change of Shift)

Tactical emergency medicine support (American College of Emergency Physicians). 2013;61:261 (Policy Statements)

Motor vehicle crashes

An analysis of recent improvements to vehicle safety (National Highway Traffic Safety Administration). 2013;61:222 (NHTSA Notes)

Commentary: making progress but not there yet (Sochor and Kerrigan). 2013;61:485–487 (NHTSA Notes)

Commentary: what a difference a decade makes (Al-Marshad et al.). 2013;61: 223–224 (NHTSA Notes)

Motor vehicle traffic crashes as a leading cause of death in the United States, 2008 and 2009 (National Highway Traffic Safety Administration). 2013;61: 484–485 (NHTSA Notes)

Motor vehicles

An analysis of recent improvements to vehicle safety (National Highway Traffic Safety Administration). 2013;61:222 (NHTSA Notes)

Commentary: making progress but not there yet (Sochor and Kerrigan). 2013;61:485–487 (NHTSA Notes)

Commentary: vehicular hyperthermia: the reason to look before you lock (Patek and Thoma). 2013;61:704–705 (NHTSA Notes)

Commentary: what a difference a decade makes (Al-Marshad et al.). 2013;61: 223–224 (NHTSA Notes)

Intoxication and motorized recreational vehicle and watercraft operation (American College of Emergency Physicians). 2013;61:726 (Policy Statements)

Motorized recreational vehicle and watercraft safety (American College of Emergency Physicians). 2013;61:725–726 (Policy Statements)

Not-in-traffic surveillance—non-crash injuries (National Highway Traffic Safety Administration). 2013;61:703–704 (NHTSA Notes)

Myocardial contraction

Point-of-care ultrasonography in assessing fluid responsiveness in sepsis patients: sonographer characteristics, noninferential statistics, and study design [Journal Club answers for Haydar et al., 2012;60:346–358] (Chiem). 2013;61:244–250

Myocardial infarction

Copeptin improves the diagnostic performance of sensitive troponin I-Ultra but cannot rapidly rule out non-ST-elevation myocardial infarction at presentation to an emergency department (Charpentier et al.). 2013;61: 549–558

Determining risk for out-of-hospital cardiac arrest by location type in a Canadian urban setting to guide future public access defibrillator placement (Brooks et al.). 2013;61:530–538

Hospital collaboration with emergency medical services in the care of patients with acute myocardial infarction: perspectives from key hospital staff (Landman et al.). 2013;61:185–195

Nationwide improvement of door-to-balloon times in patients with acute ST-segment elevation myocardial infarction requiring primary percutaneous coronary intervention with out-of-hospital 12-lead ECG recording and transmission (Ong et al.). 2013;61:339–347

Research or mom: listen to your mother (Hollander). 2013;61:196–197 (Editorial)

N

Nasal decongestants

Do decongestants, antihistamines, and nasal irrigation relieve the symptoms of sinusitis in children? (Hom). 2013;61:35–36 (Systematic Review Snapshot)

Nasal lavage

Do decongestants, antihistamines, and nasal irrigation relieve the symptoms of sinusitis in children? (Hom). 2013;61:35–36 (Systematic Review Snapshot)

National Hospital Ambulatory Medical Care Survey

Congruence of disposition after emergency department intubation in the National Hospital Ambulatory Medical Care Survey (Green). 2013;61:423–426 (Brief Research Report)

Observational health services studies using nationwide administrative datasets: understanding strengths and limitations of the National Hospital Ambulatory Medical Care Survey (NHAMCS) [Journal Club questions for

- Pitts et al., 2012:60:679–686, and McCaig et al., 2012:60:716–721] (McNaughton and Self). 2013;61:593–594
- National Institutes of Health (U.S.)**
 NIH launches emergency care research office: coordinating center lauded but challenges noted (McKenna). 2013;61:19A–22A [March issue] (News & Perspective)
 Principal investigators in medical research: is what you see in fact what you get? (Huffman). 2013;61:13A–15A [May issue] (News & Perspective)
- Neoplasms**
 Do patient-reported symptoms predict emergency department visits in cancer patients? A population-based analysis (Barbera et al.). 2013;61:427–437 [Squamous cell carcinoma] (Wu and Pearson). 2013;61:520 (Images in Emergency Medicine), 527 (Images in Emergency Medicine)
- Nerve block**
 Pain control in disaster settings: a role for ultrasound-guided nerve blocks (Lippert et al.). 2013;61:690–696 (Concepts)
- Neutropenia**
 Passive multistate surveillance for neutropenia after use of cocaine or heroin possibly contaminated with levamisole (Vagi et al.). 2013;61:468–474 (Brief Research Report)
- New Orleans Criteria**
 Prediction value of the Canadian CT Head Rule and the New Orleans Criteria for positive head CT scan and acute neurosurgical procedures in minor head trauma: a multicenter external validation study (Boudia et al.). 2013;61:521–527
- NHAMCS.** See National Hospital Ambulatory Medical Care Survey
- Norepinephrine**
 Vasopressors for hypotensive shock (Lampard and Lang). 2013;61:351–352 (Systematic Review Snapshot)
- Nurses**
 Perceptions of the effect of information and communication technology on the quality of care delivered in emergency departments: a cross-site qualitative study (Callen et al.). 2013;61:131–144
- O**
- Observation**
 Observational health services studies using nationwide administrative datasets: understanding strengths and limitations of the National Hospital Ambulatory Medical Care Survey (NHAMCS) [Journal Club questions for Pitts et al., 2012:60:679–686, and McCaig et al., 2012:60:716–721] (McNaughton and Self). 2013;61:593–594
- Observation units**
 Use of observation units growing: but variable billing practices sometimes leave patients on the financial hook (Huffman). 2013;61:21A–23A [February issue] (News & Perspective)
- Office of Emergency Care Research (U.S.)**
 NIH launches emergency care research office: coordinating center lauded but challenges noted (McKenna). 2013;61:19A–22A [March issue] (News & Perspective)
- Off-road motor vehicles**
 Intoxication and motorized recreational vehicle and watercraft operation (American College of Emergency Physicians). 2013;61:726 (Policy Statements)
 Motorized recreational vehicle and watercraft safety (American College of Emergency Physicians). 2013;61:725–726 (Policy Statements)
- Olanzapine**
 Are two drugs better than one for acute agitation? A discussion on black box warnings, waiver of informed consent, and the ethics of enrolling impaired subjects in clinical trials [Journal Club questions and answers for Chan et al., 2013;61:72–81] (Eucker et al.). 2013;61:82–83, 707–715
 Intravenous droperidol or olanzapine as an adjunct to midazolam for the acutely agitated patient: a multicenter, randomized, double-blind, placebo-controlled clinical trial (Chan et al.). 2013;61:72–81
 Intravenous droperidol or olanzapine as an adjunct to midazolam for the acutely agitated patient: a multicenter, randomized, double-blind, placebo-controlled clinical trial (Sud et al.); Reply (Chan et al.). 2013;61:597–599 (Correspondence)
- OP-15.** See Outpatient Measure 15
- Opioid analgesics.** See Analgesics, opioid
- Orthopedic procedures**
 Is pronation less painful and more effective than supination for reduction of a radial head subluxation? (Potis and Merrill). 2013;61:291–292 (Systematic Review Snapshot)

Outcome assessment (health care)

Measuring the value of the emergency department from the patient's perspective (Dresden). 2013;61:324–325 (Editorial)

Outpatient Measure 15

Assessment of Medicare's imaging efficiency measure for emergency department patients with atraumatic headache (Arday et al.); Reply (Schoor and Raja). 2013;61:718–719 (Correspondence)

P**Palliative care**

Are we ready for palliative medicine? (Abbott and Stone). 2013;61:372 (Correspondence)
 Colombian orchids: palliative care in the emergency department (Aberger). 2013;61:488 (Change of Shift)
 Demonstrations of clinical initiatives to improve palliative care in the emergency department: a report from the IPAL-EM initiative (Quest et al.). 2013;61:661–667 (Concepts)
 Hospital administrators' views on barriers and opportunities to delivering palliative care in the emergency department (Grudzen et al.). 2013;61:654–660

Parenteral nutrition

Implementing evidence-based changes in emergency department treatment: alternative vitamin therapy for alcohol-related illnesses (Shawn and Hoffman); Reply (Faine et al.). 2013;61:119–120 (Correspondence)

Parietal bone, injuries

[Compound comminuted parietal skull fracture] (Berona et al.). 2013;61:615 (Images in Emergency Medicine), 630 (Images in Emergency Medicine)

Patient admission

Emergency department physician-level and hospital-level variation in admission rates (Abualenain et al.). 2013;61:638–643 (Brief Research Report)
 Integrating emergency care into a patient- and outcome-centered health care system (Agrawal and Conway). 2013;61:301–302 (Editorial)
 A novel approach to identifying targets for cost reduction in the emergency department (Smulowitz et al.). 2013;61:293–300 (Concepts)
 Variability of ICU use in adult patients with minor traumatic intracranial hemorrhage (Nishijima et al.). 2013;61:509–517

Patient discharge

Emergency department discharge prescription interventions by emergency medicine pharmacists (Cesarz et al.). 2013;61:209–214 (Brief Research Report)

Patient identification systems

Patient medical condition identification systems (American College of Emergency Physicians). 2013;61:725 (Policy Statements)

Patient satisfaction

Physician e-mail and telephone contact after emergency department visit improves patient satisfaction: a crossover trial (Patel and Vinson). 2013;61:632–637

Pediatric emergency service

How does one learn critical care procedures in a pediatric emergency department? (Green). 2013;61:279–280 (Editorial)
 The spectrum and frequency of critical procedures performed in a pediatric emergency department: implications of a provider-level view (Mittiga et al.). 2013;61:263–270

Peritonsillar abscess

[Squamous cell carcinoma] (Wu and Pearson). 2013;61:520 (Images in Emergency Medicine), 527 (Images in Emergency Medicine)

Personnel staffing and scheduling

Emergency care crisis in the United Kingdom and Ireland: emergency physician exodus looms in wake of pay cuts, staffing shortages (Flynn). 2013;61:9A–13A [May issue] (News & Perspective)

Pharmacists

Emergency department discharge prescription interventions by emergency medicine pharmacists (Cesarz et al.). 2013;61:209–214 (Brief Research Report)

Physician–patient communication. See Communication, professional–patient

Physicians
 Characterizing novice–expert differences in macrocognition: an exploratory study of cognitive work in the emergency department (Schubert et al.). 2013;61:96–109
 Emergency care crisis in the United Kingdom and Ireland: emergency physician exodus looms in wake of pay cuts, staffing shortages (Flynn).

- 2013;61:9A–13A [May issue] (News & Perspective)
- Emergency physician contractual relationships (American College of Emergency Physicians). 2013;61:378 (Policy Statements)
- Perceptions of the effect of information and communication technology on the quality of care delivered in emergency departments: a cross-site qualitative study (Callen et al.). 2013;61:131–144
- Physician burnout: emergency physicians see triple risk of career affliction (Berger). 2013;61:17A–19A [March issue] (News & Perspective)
- Physicians, psychology**
- Colombian orchids: palliative care in the emergency department (Aberger). 2013;61:488 (Change of Shift)
- Lost in translation (Rosenberg). 2013;61:706 (Change of Shift)
- Physician's practice patterns.** *See also* Clinical competence; Drug prescriptions
- Emergency department physician-level and hospital-level variation in admission rates (Abualenain et al.). 2013;61:638–643 (Brief Research Report)
- Ensuring emergency department patient access to adequate and appropriate pain treatment (American College of Emergency Physicians). 2013;61:602 (Policy Statements)
- Oligo-evidence for oligoanalgesia: a non sequitur? (Reyes-Gibby and Todd); Reply (Green). 2013;61:373–375 (Correspondence)
- Physician's role**
- Are we ready for palliative medicine? (Abbott and Stone). 2013;61:372 (Correspondence)
- Interpretation of imaging diagnostic studies (American College of Emergency Physicians). 2013;61:724–725 (Policy Statements)
- Public health interventions in the emergency department: one resident's perspective (Taira). 2013;61:326–329 (Residents' Perspective)
- Platelet aggregation inhibitors**
- Does platelet transfusion improve outcomes in patients with spontaneous or traumatic intracerebral hemorrhage? (Martin and Conlon). 2013;61:58–61 (Best Available Evidence)
- Platelet transfusion**
- Does platelet transfusion improve outcomes in patients with spontaneous or traumatic intracerebral hemorrhage? (Martin and Conlon). 2013;61:58–61 (Best Available Evidence)
- Pneumonia**
- [Pneumonia confirmed by bedside ultrasonography] (Palmer et al.). 2013;61:499 (Images in Emergency Medicine), 505 (Images in Emergency Medicine)
- [Scrub typhus pneumonitis] (Hung and Lin). 2013;61:370 (Images in Emergency Medicine), 375 (Images in Emergency Medicine)
- Pneumothorax**
- How accurate is ultrasonography for excluding pneumothorax? (Raja and Jacobus). 2013;61:207–208 (Systematic Review Snapshot)
- Point-of-care systems.** *See also* Ultrasonography
- Point-of-care testing may reduce length of stay but not emergency department crowding (Goodacre). 2013;61:153–154 (Editorial)
- Use of a comprehensive metabolic panel point-of-care test to reduce length of stay in the emergency department: a randomized controlled trial (Jang et al.). 2013;61:145–151
- Policy Statements**
- Crowding (American College of Emergency Physicians). 2013;61:726–727 (Policy Statements)
- Emergency physician contractual relationships (American College of Emergency Physicians). 2013;61:378
- Ensuring emergency department patient access to adequate and appropriate pain treatment (American College of Emergency Physicians). 2013;61:602
- Financing of graduate medical education in emergency medicine (American College of Emergency Physicians). 2013;61:260
- Firearm injury prevention (American College of Emergency Physicians). 2013;61:602–603
- Interpretation of imaging diagnostic studies (American College of Emergency Physicians). 2013;61:724–725
- Intoxication and motorized recreational vehicle and watercraft operation (American College of Emergency Physicians). 2013;61:726 (Policy Statements)
- Motorized recreational vehicle and watercraft safety (American College of Emergency Physicians). 2013;61:725–726 (Policy Statements)
- No easy answers: emergency physicians engage in gun control debate (Berger). 2013;61:16A–18A [June issue] (News & Perspective)
- Opposition to routine abscess culturing (American College of Emergency Physicians). 2013;61:602
- Patient medical condition identification systems (American College of Emergency Physicians). 2013;61:725 (Policy Statements)
- Providing telephone advice from the emergency department (American College of Emergency Physicians). 2013;61:725 (Policy Statements)
- Standards for measuring and reporting emergency department wait times (American College of Emergency Physicians). 2013;61:260–261
- Tactical emergency medicine support (American College of Emergency Physicians). 2013;61:261
- Post-dural puncture headache**
- Are there pharmacologic agents that safely and effectively treat post-lumbar puncture headache? (Hunter and Seupaul). 2013;61:84–85 (Systematic Review Snapshot)
- Prescriptions.** *See* Drug prescriptions
- Preventive health services**
- Public health interventions in the emergency department: one resident's perspective (Taira). 2013;61:326–329 (Residents' Perspective)
- Primary health care**
- Continuing care for patients choosing the emergency department as a site for primary care: feasibility, benefits, and EMTALA considerations [Journal Club questions for Doran et al., 2013;61:312–321] (Schriger and Barrett). 2013;61:322–323
- Factors associated with 90-day death after emergency department discharge for atrial fibrillation (Atzema et al.). 2013;61:539–548
- An intervention connecting low-acuity emergency department patients with primary care: effect on future primary care linkage (Doran et al.). 2013;61:312–321
- Procedural sedation.** *See* Conscious sedation
- Propofol**
- Independent dosing of propofol and ketamine may improve procedural sedation compared with the combination "ketofol" (Shy et al.); Reply (Andolfatto). 2013;61:257–258 (Correspondence)
- Psychomotor agitation, drug therapy**
- Are two drugs better than one for acute agitation? A discussion on black box warnings, waiver of informed consent, and the ethics of enrolling impaired subjects in clinical trials [Journal Club questions and answers for Chan et al., 2013;61:72–81] (Eucker et al.). 2013;61:82–83, 707–715
- Intravenous droperidol or olanzapine as an adjunct to midazolam for the acutely agitated patient: a multicenter, randomized, double-blind, placebo-controlled clinical trial (Chan et al.). 2013;61:72–81
- Intravenous droperidol or olanzapine as an adjunct to midazolam for the acutely agitated patient: a multicenter, randomized, double-blind, placebo-controlled clinical trial (Sud et al.); Reply (Chan et al.). 2013;61:597–599 (Correspondence)
- Public health**
- Public health interventions in the emergency department: one resident's perspective (Taira). 2013;61:326–329 (Residents' Perspective)
- Pulmonary embolism**
- Are thrombolytics indicated for pulmonary embolism? (Morton and Omron). 2013;61:455–457 (Systematic Review Snapshot)
- Clinical features of patients with pulmonary embolism and a negative PERC rule result (Kline et al.); Reply (Hennessey et al.). 2013;61:122–124 (Correspondence)
- Prognostic value of plasma lactate levels among patients with acute pulmonary embolism: the thrombo-embolism lactate outcome study (Vanni et al.). 2013;61:330–338

Q

Quality improvement

An early look at performance on the emergency care measures included in Medicare's Hospital Inpatient Value-Based Purchasing Program (McHugh et al.). 2013;61:616–623

R

Radiography, head. *See* Head, radiography

Radiography, thoracic

The utility of adding expiratory or decubitus chest radiographs to the radiographic evaluation of suspected pediatric airway foreign bodies (Brown et al.). 2013;61:19–26

Radius, injuries

Is pronation less painful and more effective than supination for reduction of a radial head subluxation? (Potis and Merrill). 2013;61:291–292 (Systematic Review Snapshot)

Recreation

- Intoxication and motorized recreational vehicle and watercraft operation (American College of Emergency Physicians). 2013;61:726 (Policy Statements)
- Motorized recreational vehicle and watercraft safety (American College of Emergency Physicians). 2013;61:725–726 (Policy Statements)

Referral

- "Patients who can't get an appointment go to the ER": access to specialty care for publicly insured children (Rhodes et al.). 2013;61:394–403

Rehydration solutions

- Intravenous dextrose for children with gastroenteritis and dehydration: a double-blind randomized controlled trial (Levy et al.). 2013;61:281–288

Reimbursement, incentive

- An early look at performance on the emergency care measures included in Medicare's Hospital Inpatient Value-Based Purchasing Program (McHugh et al.). 2013;61:616–623

Reproducibility of results

- Assessment of Medicare's imaging efficiency measure for emergency department patients with atraumatic headache (Arday et al.); Reply (Schuur and Raja). 2013;61:718–719 (Correspondence)
- A Tunisian, a Canadian, and an American walk into a bar (sustaining mild head injury) (Reynolds). 2013;61:528–529 (Editorial)

Research

- NIH launches emergency care research office: coordinating center lauded but challenges noted (McKenna). 2013;61:19A–22A [March issue] (News & Perspective)

Research, legislation & jurisprudence

- A call to action: firearms, public health, and emergency medicine (Ranney et al.). 2013;61:700–702 (Editorial)
- No easy answers: emergency physicians engage in gun control debate (Berger). 2013;61:16A–18A [June issue] (News & Perspective)

Research design. See also Reproducibility of results

- Are two drugs better than one for acute agitation? A discussion on black box warnings, waiver of informed consent, and the ethics of enrolling impaired subjects in clinical trials [Journal Club questions and answers for Chan et al., 2013;61:72–81] (Eucker et al.). 2013;61:82–83, 707–715
- Congruence of disposition after emergency department intubation in the National Hospital Ambulatory Medical Care Survey (Green). 2013;61:423–426 (Brief Research Report)
- Continuing care for patients choosing the emergency department as a site for primary care: feasibility, benefits, and EMTALA considerations [Journal Club questions for Doran et al., 2013;61:312–321] (Schrager and Barrett). 2013;61:322–323
- Point-of-care testing may reduce length of stay but not emergency department crowding (Goodacre). 2013;61:153–154 (Editorial)
- Point-of-care ultrasonography in assessing fluid responsiveness in sepsis patients: sonographer characteristics, noninferential statistics, and study design [Journal Club answers for Haydar et al., 2012;60:346–358] (Chiem). 2013;61:244–250
- rt-PA and stroke: does IST-3 make it all clear or muddy the waters? [Journal Club answers for IST Collaborative Group, *Lancet* 2012;379:2352–2363] (Radecki et al.). 2013;61:489–498
- Traumatic intracranial hemorrhage, value in health care, and being important (Carr and Welch). 2013;61:518–519 (Editorial)

Research ethics. See Ethics, research**Research personnel**

- Principal investigators in medical research: is what you see in fact what you get? (Huffman). 2013;61:13A–15A [May issue] (News & Perspective)

Research subjects

- Are two drugs better than one for acute agitation? A discussion on black box warnings, waiver of informed consent, and the ethics of enrolling impaired subjects in clinical trials [Journal Club questions and answers for Chan et al., 2013;61:72–81] (Eucker et al.). 2013;61:82–83, 707–715

Research support

- Principal investigators in medical research: is what you see in fact what you get? (Huffman). 2013;61:13A–15A [May issue] (News & Perspective)

Respiratory rate

- Don't hyperventilate over triage respiratory rates (Cooper and Green). 2013;61:44–45 (Editorial)
- Revitalizing a vital sign: improving detection of tachypnea at primary triage (Bianchi et al.). 2013;61:37–43

Resuscitation

- Bearing witness: more emergency physicians allowing families in the resuscitation room (Kenen). 2013;61:13A–14A [January issue] (News & Perspective)

- Uncontrolled donation after circulatory determination of death protocols: ethical challenges and suggestions for improvement (Ortega-Deballon et al.); Reply (Michael and Jesus). 2013;61:255–257 (Correspondence)

Rural health services

- Emergency medicine rural rotations: a program director's guide (Casaletto et al.). 2013;61:578–583 (Concepts)
- The future of emergency medicine: update 2011 (Gardner et al.). 2013;61:624–630 (Special Contribution)

S**S-100 calcium-binding protein beta subunit**

- Utility of S100B in head injury care (Graham and Rainer); Reply (Ribéreau-Gayon et al.). 2013;61:120–122 (Correspondence)

Scrub typhus

- [Scrub typhus pneumonitis] (Hung and Lin). 2013;61:370 (Images in Emergency Medicine), 375 (Images in Emergency Medicine)

Sedation. See Conscious sedation; Psychomotor agitation, drug therapy**Selection bias**

- rt-PA and stroke: does IST-3 make it all clear or muddy the waters? [Journal Club answers for IST Collaborative Group, *Lancet* 2012;379:2352–2363] (Radecki et al.). 2013;61:489–498

Sepsis

- In patients with severe sepsis, does a single dose of etomidate to facilitate intubation increase mortality? (Hunter and Kirschner). 2013;61:571–572 (Systematic Review Snapshot)
- Point-of-care ultrasonography in assessing fluid responsiveness in sepsis patients: sonographer characteristics, noninferential statistics, and study design [Journal Club answers for Haydar et al., 2012;60:346–358] (Chiem). 2013;61:244–250

Shock

- Vasopressors for hypotensive shock (Lampard and Lang). 2013;61:351–352 (Systematic Review Snapshot)

Singapore

- Nationwide improvement of door-to-balloon times in patients with acute ST-segment elevation myocardial infarction requiring primary percutaneous coronary intervention with out-of-hospital 12-lead ECG recording and transmission (Ong et al.). 2013;61:339–347

Sinusitis

- Do decongestants, antihistamines, and nasal irrigation relieve the symptoms of sinusitis in children? (Hom). 2013;61:35–36 (Systematic Review Snapshot)

Skills, clinical. See Clinical competence**Skull fractures**

- [Compound comminuted parietal skull fracture] (Berona et al.). 2013;61:615 (Images in Emergency Medicine), 630 (Images in Emergency Medicine)

Snake bites

- Failure to develop sensitization despite repeated administration of ovine Fab snake antivenom: update of a single-patient, multicenter case series (Lavonas et al.). 2013;61:371–372 (Correspondence)

Sodium thiosulfate

- Utility of sodium thiosulfate in acute cyanide toxicity (Calzada-Jeanlouie et al.); Reply (Bebarta et al.). 2013;61:124–126 (Correspondence)

Soft tissue injuries, drug therapy

- Do topical antibiotics help prevent infection in minor traumatic uncomplicated soft tissue wounds? (Waterbrook et al.). 2013;61:86–88 (Best Available Evidence)
- A single review article cannot define a standard of care for uncomplicated wounds (Rothrock); Reply (Waterbrook et al.). 2013;61:502–503 (Correspondence)

Specialty health care

- "Patients who can't get an appointment go to the ER": access to specialty care for publicly insured children (Rhodes et al.). 2013;61:394–403

Spider bite. See Arachnidism**Standard of care**

- A single review article cannot define a standard of care for uncomplicated wounds (Rothrock); Reply (Waterbrook et al.). 2013;61:502–503 (Correspondence)

Staphylococcal scalded skin syndrome

- [Staphylococcal scalded skin syndrome] (Conway et al.). 2013;61:118 (Images in Emergency Medicine), 129 (Images in Emergency Medicine)

Stress, psychological

- Physician burnout: emergency physicians see triple risk of career affliction (Berger). 2013;61:17A–19A [March issue] (News & Perspective)

Stroke

Does diffusion-weighted imaging predict short-term risk of stroke in emergency department patients with transient ischemic attack? (Oostema et al.). 2013;61:62–71 (Critically Appraised Topic)

Stroke, drug therapy

Can quality-adjusted life-years and subgroups help us decide whether to treat late-arriving stroke patients with tissue plasminogen activator? (Waxman and Keeler). 2013;61:56–57 (Editorial)

Clinical policy: use of intravenous tPA for the management of acute ischemic stroke in the emergency department (American College of Emergency Physicians). 2013;61:225–243 (Clinical Policy)

A model of cost-effectiveness of tissue plasminogen activator in patient subgroups 3 to 4.5 hours after onset of acute ischemic stroke (Boudreau et al.). 2013;61:46–55

rt-PA and stroke: does IST-3 make it all clear or muddy the waters? [Journal Club answers for IST Collaborative Group, *Lancet* 2012;379:2352–2363] (Radecki et al.). 2013;61:489–498

Subarachnoid hemorrhage

Clinical suspicion of subarachnoid hemorrhage and negative head computed tomographic scan performed within 6 hours of headache onset—no need for lumbar puncture (Vergouwen and Rinkel); Reply (Mark et al.). 2013;61:503–505 (Correspondence)

Subclavian artery, abnormalities

Acute superior vena cava syndrome after rupture of Kommerell's diverticulum: a case report (Suarez and Slivka). 2013;61:348–350 (Case Report)

Subclavian artery, injuries

Emergency bedside sonographic diagnosis of subclavian artery pseudoaneurysm with brachial plexopathy after clavicle fracture (Gullo et al.). 2013;61:204–206 (Case Report)

Substance abuse treatment centers

EMS triage and transport of intoxicated individuals to a detoxification facility instead of an emergency department (Ross et al.). 2013;61:175–184

Substance-related disorders. See also Alcoholic intoxication

Compartment syndrome after "bath salts" use: a case series (Levine et al.). 2013;61:480–483 (Case Report)

Controlling opioid abuse in the emergency department: legitimate public policy or "legislative medicine"? (Huffman). 2013;61:13A–15A [June issue] (News & Perspective)

Intoxication and motorized recreational vehicle and watercraft operation (American College of Emergency Physicians). 2013;61:726 (Policy Statements)

Passive multistate surveillance for neutropenia after use of cocaine or heroin possibly contaminated with levamisole (Vagi et al.). 2013;61:468–474 (Brief Research Report)

Pharmacokinetic data distinguish abusive *versus* dietary supplement uses of 1,3-dimethylamylamine (Rodricks et al.). 2013;61:717 (Correspondence)

What is the accuracy of screening instruments for alcohol and cannabis misuse disorders among adolescents and young adults in the emergency department? (Louis et al.). 2013;61:404–406 (Systematic Review Snapshot)

Superior vena cava syndrome

Acute superior vena cava syndrome after rupture of Kommerell's diverticulum: a case report (Suarez and Slivka). 2013;61:348–350 (Case Report)

T**Tachypnea**

Don't hyperventilate over triage respiratory rates (Cooper and Green). 2013;61:44–45 (Editorial)

Revitalizing a vital sign: improving detection of tachypnea at primary triage (Bianchi et al.). 2013;61:37–43

Tactical medicine

Tactical emergency medicine support (American College of Emergency Physicians). 2013;61:261 (Policy Statements)

Task performance and analysis

Characterizing novice–expert differences in macrocognition: an exploratory study of cognitive work in the emergency department (Schubert et al.). 2013;61:96–109

Teaching, methods

Characterizing novice–expert differences in macrocognition: an exploratory study of cognitive work in the emergency department (Schubert et al.). 2013;61:96–109

How does one learn critical care procedures in a pediatric emergency department? (Green). 2013;61:279–280 (Editorial)

Individual interactive instruction: an innovative enhancement to resident education (Reiter et al.). 2013;61:110–113 (Residents' Perspective)

Video laryngoscopy is a valuable adjunct in emergency airway management but is not sufficient as an exclusive method of training residents (Wilcox et al.); Reply (Sakles). 2013;61:252–253 (Correspondence)

Telephone

Physician e-mail and telephone contact after emergency department visit improves patient satisfaction: a crossover trial (Patel and Vinson). 2013;61:632–637

Providing telephone advice from the emergency department (American College of Emergency Physicians). 2013;61:725 (Policy Statements)

Thiamine deficiency

Implementing evidence-based changes in emergency department treatment: alternative vitamin therapy for alcohol-related illnesses (Shawn and Hoffman); Reply (Faine et al.). 2013;61:119–120 (Correspondence)

Thiosulfates

Utility of sodium thiosulfate in acute cyanide toxicity (Calzada-Jeanlouie et al.); Reply (Bebarta et al.). 2013;61:124–126 (Correspondence)

Thorax, radiography. See Radiography, thoracic**Thorax, ultrasonography**

How accurate is ultrasonography for excluding pneumothorax? (Raja and Jacobus). 2013;61:207–208 (Systematic Review Snapshot)

[Pneumonia confirmed by bedside ultrasonography] (Palmer et al.). 2013;61:499 (Images in Emergency Medicine), 505 (Images in Emergency Medicine)

Thrombolytic therapy. See also Tissue plasminogen activator

Are thrombolytics indicated for pulmonary embolism? (Morton and Omron). 2013;61:455–457 (Systematic Review Snapshot)

Time factors. See also Length of stay

Emergency medical services out-of-hospital scene and transport times and their association with mortality in trauma patients presenting to an urban level I trauma center (McCoy et al.). 2013;61:167–174

Nationwide improvement of door-to-balloon times in patients with acute ST-segment elevation myocardial infarction requiring primary percutaneous coronary intervention with out-of-hospital 12-lead ECG recording and transmission (Ong et al.). 2013;61:339–347

Standards for measuring and reporting emergency department wait times (American College of Emergency Physicians). 2013;61:260–261 (Policy Statements)

Tissue and organ procurement

Uncontrolled donation after circulatory determination of death protocols: ethical challenges and suggestions for improvement (Ortega-Deballon et al.); Reply (Michael and Jesus). 2013;61:255–257 (Correspondence)

Tissue plasminogen activator

Can quality-adjusted life-years and subgroups help us decide whether to treat late-arriving stroke patients with tissue plasminogen activator? (Waxman and Keeler). 2013;61:56–57 (Editorial)

Clinical policy: use of intravenous tPA for the management of acute ischemic stroke in the emergency department (American College of Emergency Physicians). 2013;61:225–243 (Clinical Policy)

A model of cost-effectiveness of tissue plasminogen activator in patient subgroups 3 to 4.5 hours after onset of acute ischemic stroke (Boudreau et al.). 2013;61:46–55

rt-PA and stroke: does IST-3 make it all clear or muddy the waters? [Journal Club answers for IST Collaborative Group, *Lancet* 2012;379:2352–2363] (Radecki et al.). 2013;61:489–498

Tomography, x-ray computed. See Head, radiography**Tongue**

[Vallecular cyst] (Rudinsky and Lucio). 2013;61:388 (Images in Emergency Medicine), 406 (Images in Emergency Medicine)

Topical anti-infective agents. See Anti-infective agents, local**Transportation of patients**

The effect of an ambulance diversion ban on emergency department length of stay and ambulance turnaround time (Burke et al.). 2013;61:303–311

Emergency medical services out-of-hospital scene and transport times and their association with mortality in trauma patients presenting to an urban level I trauma center (McCoy et al.). 2013;61:167–174

EMS triage and transport of intoxicated individuals to a detoxification facility instead of an emergency department (Ross et al.). 2013;61:175–184

Traumatic brain injury. See Brain injuries**Triage**

EMS triage and transport of intoxicated individuals to a detoxification facility instead of an emergency department (Ross et al.). 2013;61:175–184

Triage, methods

- Are we asking the right triage questions? (Pacella and Yealy). 2013;61:33–34 (Editorial)
- Don't hyperventilate over triage respiratory rates (Cooper and Green). 2013; 61:44–45 (Editorial)
- Head-to-head comparison of disaster triage methods in pediatric, adult, and geriatric patients (Cross and Cicero). 2013;61:668–676
- Performance of the Canadian Triage and Acuity Scale for children: a multicenter database study (Gravel et al.). 2013;61:27–32
- Revitalizing a vital sign: improving detection of tachypnea at primary triage (Bianchi et al.). 2013;61:37–43
- Triage systems: outcome measures to validate (Seiger and Moll). 2013;61: 372–373 (Correspondence)

Troponin I

- Copeptin improves the diagnostic performance of sensitive troponin I-Ultra but cannot rapidly rule out non-ST-elevation myocardial infarction at presentation to an emergency department (Charpentier et al.). 2013;61: 549–558

Tunisia

- Prediction value of the Canadian CT Head Rule and the New Orleans Criteria for positive head CT scan and acute neurosurgical procedures in minor head trauma: a multicenter external validation study (Bouida et al.). 2013;61:521–527

U

- Ultrasonography.** *See also* Catheterization, peripheral; Fractures, bone, ultrasonography; Thorax, ultrasonography
- Emergency bedside sonographic diagnosis of subclavian artery pseudoaneurysm with brachial plexopathy after clavicle fracture (Gullo et al.). 2013;61:204–206 (Case Report)
- Pain control in disaster settings: a role for ultrasound-guided nerve blocks (Lippert et al.). 2013;61:690–696 (Concepts)
- Point-of-care ultrasonography in assessing fluid responsiveness in sepsis patients: sonographer characteristics, noninferential statistics, and study design [Journal Club answers for Haydar et al., 2012;60:346–358] (Chiem). 2013;61:244–250
- [Subdural hemorrhage from suspected abusive head trauma] (Lee et al.). 2013;61:18 (Images in Emergency Medicine), 36 (Images in Emergency Medicine)

United Kingdom. *See* Great Britain**Urinary tract infections**

- Call for a rational approach for testing for urinary tract infection as a source of fever in infants (Shaw). 2013;61:565–568 (Editorial)
- Pediatric urinary tract infection: does the evidence support aggressively pursuing the diagnosis? (Newman et al.). 2013;61:559–565 (Concepts)

V**Vallecular cyst**

- [Vallecular cyst] (Rudinsky and Lucio). 2013;61:388 (Images in Emergency Medicine), 406 (Images in Emergency Medicine)

Value

- An early look at performance on the emergency care measures included in Medicare's Hospital Inpatient Value-Based Purchasing Program (McHugh et al.). 2013;61:616–623
- Measuring the value of the emergency department from the patient's perspective (Dresden). 2013;61:324–325 (Editorial)
- Traumatic intracranial hemorrhage, value in health care, and being important (Carr and Welch). 2013;61:518–519 (Editorial)

Vascular system injuries, ultrasonography

- Emergency bedside sonographic diagnosis of subclavian artery pseudoaneurysm with brachial plexopathy after clavicle fracture (Gullo et al.). 2013;61:204–206 (Case Report)

Vasoconstrictor agents

- Vasopressors for hypotensive shock (Lampard and Lang). 2013;61:351–352 (Systematic Review Snapshot)

Vena cava, inferior, ultrasonography

- Point-of-care ultrasonography in assessing fluid responsiveness in sepsis patients: sonographer characteristics, noninferential statistics, and study design [Journal Club answers for Haydar et al., 2012;60:346–358] (Chiem). 2013;61:244–250

Vena cava, superior, injuries

- Acute superior vena cava syndrome after rupture of Kommerell's diverticulum: a case report (Suarez and Slivka). 2013;61:348–350 (Case Report)

Video capsule endoscopy. *See* Capsule endoscopy**Videolaryngoscopy.** *See* Laryngoscopes**Vitamin therapy.** *See* Avitaminosis, therapy**W****Waiting times**

- Standards for measuring and reporting emergency department wait times (American College of Emergency Physicians). 2013;61:260–261 (Policy Statements)

Warfarin

- Delayed intracranial hemorrhage from mild head injury and warfarin use (Rasler); Reply (Nishijima et al.). 2013;61:126–127 (Correspondence)
- Hemorrhagic complications in emergency department patients who are receiving dabigatran compared with warfarin (Berger et al.). 2013;61:475–479 (Brief Research Report)
- The threshold for CT scanning anticoagulated head injury patients is still not yet clear (Goergen et al.); Reply (Menditto et al.). 2013;61:500–502 (Correspondence), Correction 2013;61:614

Watercraft

- Intoxication and motorized recreational vehicle and watercraft operation (American College of Emergency Physicians). 2013;61:726 (Policy Statements)
- Motorized recreational vehicle and watercraft safety (American College of Emergency Physicians). 2013;61:725–726 (Policy Statements)

Workforce. *See* Emergency service, hospital, manpower**Workload**

- Emergency care crisis in the United Kingdom and Ireland: emergency physician exodus looms in wake of pay cuts, staffing shortages (Flynn). 2013;61:9A–13A [May issue] (News & Perspective)
- The future of emergency medicine: update 2011 (Gardner et al.). 2013;61: 624–630 (Special Contribution)

Wounds, gunshot

- A call to action: firearms, public health, and emergency medicine (Ranney et al.). 2013;61:700–702 (Editorial)
- Firearm injury prevention (American College of Emergency Physicians). 2013;61:602–603 (Policy Statements)

Wounds and injuries

- Emergency medical services out-of-hospital scene and transport times and their association with mortality in trauma patients presenting to an urban level I trauma center (McCoy et al.). 2013;61:167–174
- Not-in-traffic surveillance—non-crash injuries (National Highway Traffic Safety Administration). 2013;61:703–704 (NHTSA Notes)
- Pain control in disaster settings: a role for ultrasound-guided nerve blocks (Lippert et al.). 2013;61:690–696 (Concepts)

X**Xanthomatosis**

- [Eruptive xanthoma] (Green et al.). 2013;61:595 (Images in Emergency Medicine), 603 (Images in Emergency Medicine)

Y**Young adult**

- What is the accuracy of screening instruments for alcohol and cannabis misuse disorders among adolescents and young adults in the emergency department? (Louis et al.). 2013;61:404–406 (Systematic Review Snapshot)

Author Index January–June 2013

January, pp. 1-130; February, pp. 131-262; March, pp. 263-378; April, pp. 379-508; May, pp. 509-604; June, pp. 605-750.

A

- Abbott J, Stone S. Are we ready for palliative medicine?, 2013;61:372 (Correspondence)
- Aberger K. Colombian orchids: palliative care in the emergency department., 2013;61:488 (Change of Shift)
- Abualenain J, Frohna WJ, Shesser R, Ding R, Smith M, Pines JM. Emergency department physician-level and hospital-level variation in admission rates., 2013;61:638–43 (Brief Research Report)
- Adams JG. (see McHugh et al). 2013; 61:616–23
- Adedipe AA. An introduction to clinical emergency medicine, 2nd edition., 2013;61:506–7 (Book and Media Reviews)
- Ades AM. (see Donoghue et al). 2013; 61:271–7
- Agrawal S, Conway PH. Integrating emergency care into a patient- and outcome-centered health care system., 2013;61:301–2 (Editorial)
- Akhter M, Runde D, Lee J. Which central line insertion site is the least prone to infection?, 2013;61:362–3 (Systematic Review Snapshot)
- Al-Marshad A, DeMers G, Kahn C. Commentary: what a difference a decade makes., 2013;61:223–4 (NHTSA Notes)
- Al-Tayyib AA. (see Haukoos et al). 2013; 61:353–61
- Ali MA. (see Meltzer et al). 2013; 61:438–43
- Allen MH. (see Doran et al). 2013; 61:312–21
- Anantharaman V. (see Ong et al). 2013; 61:339–47
- Anderson C. (see McCoy et al). 2013; 61:167–74
- Anderson JL. (see Lee et al). 2013; 61:18 (Images in Emergency Medicine)
- Andolfatto G. Independent dosing of propofol and ketamine may improve procedural sedation compared with the combination “ketofol.”, 2013;61: 257–8 (Correspondence Reply)
- Ankel FK. (see Casaleto et al). 2013; 61:578–83 (Concepts)
- Arday SL, Halim S, Nakano KT. Assessment of Medicare’s imaging efficiency measure for emergency department patients with atraumatic headache., 2013;61:719–20 (Correspondence)
- Armando G. (see Menditto et al). 2013; 61:501–2 (Correspondence Reply)
- Arnold T. (see Dart et al). 2013; 61:458–67
- Asch SM. (see Sun et al). 2013; 61:605–11
- Asrow A. (see Kessler et al). 2013; 61:161–6 (Concepts)
- Atabaki SM. (see Nigrovic et al). 2013; 61:389–93 (Brief Research Report)
- Atzema C. (see Barbera et al). 2013; 61:427–37
- Atzema CL, Austin PC, Chong AS, Dorian P. Factors associated with 90-day death after emergency department discharge for atrial fibrillation., 2013;61: 539–48
- Auerbach PS. In reply to evidence-based treatment of jellyfish stings in North America and Hawaii., 2013;61:253–4 (Correspondence)
- Austin PC. (see Atzema et al). 2013; 61:539–48
- Avner JR. (see Rabiner et al). 2013; 61:9–17

B

- Bachur RG. (see Levy et al). 2013; 61:281–8
- Bailey RA. Resident liability in medical malpractice., 2013;61:114–7 (Residents’ Perspective)
- Baioni M. (see Vanni et al). 2013; 61:330–8
- Baker WE. (see Burke et al). 2013; 61:303–11
- Ballard DW. (see Mark et al). 2013; (see Nishijima et al). 2013; (see Ranney et al). 2013; 61:126–7 (Correspondence Reply); 61:504–5 (Correspondence Reply); 61:700–2 (Editorial)
- Barbera L, Atzema C, Sutradhar R, Seow H, Howell D, Husain A, Sussman J, Earle C, Liu Y, Dudgeon D. Do patient-reported symptoms predict emergency department visits in cancer patients? A population-based analysis., 2013;61:427–37
- Baren JM. (see Smith-Coggins et al). 2013; 61:584–92 (Special Contribution)
- Barrett TW. (see Eucker et al). 2013; (see Schriger and Barrett). 2013; 61:322–3 (Journal Club); 61:708–16 (Journal Club); 61:82–3 (Journal Club)
- Barrelson BB. (see Dart et al). 2013; 61:458–67

- Bartolini M. (see Vanni et al). 2013; 61:330–8
- Bartolucci M. (see Vanni et al). 2013; 61:330–8
- Beach C. (see Kessler et al). 2013; 61:161–6 (Concepts)
- Beaudeau JL. (see Ribéreau-Gayon et al). 2013; 61:121–2 (Correspondence Reply)
- Bebarta VS, Pitotti R, Laiter J, Dixon P, Bush A, Tanen DA. Utility of sodium thiosulfate in acute cyanide toxicity., 2013;61:125–6 (Correspondence Reply)
- Beer D. (see Gravel et al). 2013; 61:27–32
- Bellamkonda Athmaram VR. (see Lee et al). 2013; 61:18 (Images in Emergency Medicine)
- Beltaief K. (see Bouida et al). 2013; 61:521–7
- Bender B. (see Haukoos et al). 2013; 61:353–61
- Benitez F. (see Green et al). 2013; 61:595 (Images in Emergency Medicine)
- Benson BE. (see Lavonas et al). 2013; 61:371–2 (Correspondence)
- Berger E. No easy answers: emergency physicians engage in gun control debate., 2013;61:16A–18A (Jun) (News and Perspective)
- Berger E. Physician burnout: emergency physicians see triple risk of career affliction., 2013;61:17A–9A (Mar) (News and Perspective)
- Berger R, Salhanick SD, Chase M, Ganetsky M. Hemorrhagic complications in emergency department patients who are receiving dabigatran compared with warfarin., 2013;61:475–9 (Brief Research Report)
- Berkman M. (see Waterbrook et al). 2013; 61:502–3 (Correspondence Reply); 61:86–8 (Best Available Evidence)
- Berona K, Delgado E, Cho C. Stapler vs. scalp: a child with blunt head injury., 2013;61:615 (Images in Emergency Medicine)
- Bianchi W, Dugas AF, Hsieh YH, Saheed M, Hill P, Lindauer C, Terzis A, Rothman RE. Revitalizing a vital sign: improving detection of tachypnea at primary triage., 2013;61:37–43
- Bichard-Bréaud M. (see Charpentier et al). 2013; 61:549–58
- Biddinger PD. (see Burke et al). 2013; 61:303–11
- Bisgaier J. (see Rhodes et al). 2013; 61:394–403
- Bittner R. (see Brown et al). 2013; 61:19–26
- Bogdan G. (see Dart et al). 2013; 61:458–67
- Boniface K. (see Shokoohi et al). 2013; 61:198–203
- Botella JM. (see Charpentier et al). 2013; 61:549–58
- Boubaker H. (see Bouida et al). 2013; 61:521–7
- Boudreau DM, Guzauskas G, Villa KF, Fagan SC, Veenstra DL. A model of cost-effectiveness of tissue plasminogen activator in patient subgroups 3 to 4.5 hours after onset of acute ischemic stroke., 2013;61:46–55
- Bouhaja B. (see Bouida et al). 2013; 61:521–7
- Bouida W, Marghli S, Souissi S, Ksibi H, Methammem M, Haguiga H, Khedher S, Boubaker H, Beltaief K, Grissa MH, Trimech MN, Kerkeni W, Chebili N, Halila I, Rejeb I, Boukef R, Rekik N, Bouhaja B, Letaief M, Nounira S. Prediction value of the Canadian CT Head Rule and the New Orleans Criteria for positive head CT scan and acute neurosurgical procedures in minor head trauma: a multicenter external validation study., 2013;61:521–7
- Boukef R. (see Bouida et al). 2013; 61:521–7
- Bourne CL. (see Casaleto et al). 2013; 61:578–83 (Concepts)
- Boutis K. (see Gravel et al). 2013; 61:27–32
- Boyd JW. (see Funkenstein et al). 2013; 61:596–7 (Correspondence)
- Brackney M. (see Vagi et al). 2013; 61:468–74
- Bradley EH. (see Landman et al). 2013; 61:185–95
- Braithwaite J. (see Callen et al). 2013; 61:131–44
- Briese BA. (see Kline et al). 2013; 61:122–4 (Correspondence)

- Brooks SC, Hsu JH, Tang SK, Jeyakumar R, Chan TCY. Determining risk for out-of-hospital cardiac arrest by location type in a Canadian urban setting to guide future public access defibrillator placement., 2013;61:530-8
- Brown DFM. (see Wilcox et al). 2013; 61:252-3 (Correspondence)
- Brown JC, Chapman T, Klein EJ, Chisholm SL, Phillips GS, Osincup D, Sakchalathorn P, Bittner R. The utility of adding expiratory or decubitus chest radiographs to the radiographic evaluation of suspected pediatric airway foreign bodies., 2013;61:19-26
- Brown MD. (see Oostema et al). 2013; 61:62-71 (Critically Appraised Topic)
- Browne A. (see Quaday et al). 2013; 61:e1-e2 (Images in Emergency Medicine)
- Burke LG, Joyce N, Baker WE, Biddinger PD, Dyer KS, Friedman FD, Imperato J, King A, Maciejko TM, Pearlmuter MD, Sayah A, Zane RD, Epstein SK. The effect of an ambulance diversion ban on emergency department length of stay and ambulance turnaround time., 2013;61:303-11
- Bush A. (see Bebart et al). 2013; 61:125-6 (Correspondence Reply)
- Bush S. (see Dart et al). 2013; 61:458-67
- C**
- Callen J, Paoloni R, Li J, Stewart M, Gibson K, Georgiou A, Braithwaite J, Westbrook J. Perceptions of the effect of information and communication technology on the quality of care delivered in emergency departments: a cross-site qualitative study., 2013;61:131-44
- Carr BG, Welch RD. Traumatic intracranial hemorrhage, value in health care, and being important., 2013;61:518-9 (Editorial)
- Casalterto JJ, Wadman MC, Ankel FK, Bourne CL, Ghaemmaghami CA. Emergency medicine rural rotations: a program director's guide., 2013;61:578-83 (Concepts)
- Castle DJ. (see Chan et al). 2013; 61:598-9 (Correspondence Reply); 61:72-81
- Cearnal L. Electronic medical records link to upcoding under fire: feds eye increasing evaluation & management billing codes., 2013;61:17A-9A (Apr) (News and Perspective)
- Centers for Disease Control and Prevention. Evaluation of 11 commercially available rapid influenza diagnostic tests—United States, 2011-2012., 2013; 61:573-6 (CDC Update)
- Centers for Disease Control and Prevention. Multistate outbreak of fungal infection associated with injection of methylprednisolone acetate solution from a single compounding pharmacy—United States, 2012., 2013;61:364-6 (CDC Update)
- Centers for Disease Control and Prevention. Update to the CDC's sexually transmitted diseases treatment guidelines, 2010: oral cephalosporins no longer recommended treatment for gonococcal infections., 2013;61:91-3 (CDC Update)
- Cesarz JL, Steffenhagen AL, Svenson J, Hamedani AG. Emergency department discharge prescription interventions by emergency medicine pharmacists., 2013;61:209-14 (Brief Research Report)
- Chan EW, Taylor DM, Knott JC, Phillips GA, Castle DJ, Kong DCM. Intravenous droperidol or olanzapine as an adjunct to midazolam for the acutely agitated patient: a multicenter, randomized, double-blind, placebo-controlled clinical trial., 2013;61:72-81, 2013;61:598-9 (Correspondence Reply)
- Chan KP. (see Ong et al). 2013; 61:339-47
- Chan TCY. (see Brooks et al). 2013; 61:530-8
- Chapman T. (see Brown et al). 2013; 61:19-26
- Charpentier S, Lepage B, Maupas-Schwalm F, Cinq-Frais C, Richard-Bréaud M, Botella JM, Elbaz M, Lauque D. Copeptin improves the diagnostic performance of sensitive troponin I-Ultra but cannot rapidly rule out non-ST-elevation myocardial infarction at presentation to an emergency department., 2013;61:549-58
- Chase M. (see Berger et al). 2013; 61:475-9 (Brief Research Report)
- Chathampally YG. (see Radecki et al). 2013; 61:489-98 (Journal Club)
- Chebili N. (see Bouida et al). 2013; 61:521-7
- Chee Y. (see Oh et al). 2013; 61:407-13
- Chen Y-G, Huang C-F, Dai M-S. Young man with scratches on his back., 2013;61:152 (Images in Emergency Medicine)
- Cherlin EJ. (see Landman et al). 2013; 61:185-95
- Chettipally UK. (see Nishijima et al). 2013; 61:126-7 (Correspondence Reply)
- Cheung D. (see Kessler et al). 2013; 61:161-6 (Concepts)
- Chiem A. Point-of-care ultrasonography in assessing fluid responsiveness in sepsis patients: sonographer characteristics, noninferential statistics, and study design: answers to the September 2012 Journal Club questions., 2013; 61:244-50 (Journal Club)
- Chin EJ. (see Palmer et al). 2013; 61:499 (Images in Emergency Medicine)
- Chisholm SL. (see Brown et al). 2013; 61:19-26
- Chiu S. (see Mosier et al). 2013; 61:414-20
- Cho C. (see Berona et al). 2013; 61:615 (Images in Emergency Medicine)
- Cho Y. (see Oh et al). 2013; 61:407-13
- Choi HJ. (see Park and Choi). 2013; 61:251 (Images in Emergency Medicine)
- Chong AS. (see Atzema et al). 2013; 61:539-48
- Chua TSJ. (see Ong et al). 2013; 61:339-47
- Cicero MX. (see Cross and Cicero). 2013; 61:668-76
- Cinq-Frais C. (see Charpentier et al). 2013; 61:549-58
- Clark RC. (see Dart et al). 2013; 61:458-67
- Clark RF. (see Darraq et al). 2013; 61:254-5 (Correspondence Reply)
- Claudius I. (see Kaji et al). 2013; 61:379-87
- Cohen MD. (see Hilligoss and Cohen). 2013; 61:155-60 (Concepts)
- Colucci AC. (see Doran et al). 2013; 61:312-21
- Conlon LW. (see Martin and Conlon). 2013; 61:58-61 (Best Available Evidence)
- Conrand B. (see Ribèreau-Gayon et al). 2013; 61:121-2 (Correspondence Reply)
- Conway DG, Lyon RF, Heiner JD. A desquamating rash., 2013;61:118 (Images in Emergency Medicine)
- Conway PH. (see Agrawal and Conway). 2013; 61:301-2 (Editorial)
- Coombs J. (see De La Calzada-Jeanlouie et al). 2013; 61:124-5 (Correspondence)
- Cooper JG. (see Goergen et al). 2013; 61:500-1 (Correspondence)
- Cooper RJ, Green SM. Don't hyperventilate over triage respiratory rates., 2013; 61:44-5 (Editorial)
- Counselman FL. (see Smith-Coggins et al). 2013; 61:584-92 (Special Contribution)
- Crandall B. (see Schubert et al). 2013; 61:96-109
- Creswick N. (see Georgiou et al). 2013; 61:644-53 (Review Article)
- Cross KP, Cicero MX. Head-to-head comparison of disaster triage methods in pediatric, adult, and geriatric patients., 2013;61:668-76
- Curry LA. (see Landman et al). 2013; 61:185-95
- Curtis S. (see Gravel et al). 2013; (see Heinrichs et al). 2013; 61:27-32; 61:444-54
- D**
- Dai M-S. (see Chen et al). 2013; 61:152 (Images in Emergency Medicine)
- Darraq MA, Ward NT, Tomaszewski C, Clark RF. In reply to evidence-based treatment of jellyfish stings in North America and Hawaii., 2013;61:254-5 (Correspondence Reply)
- Dart RC, Bogdan G, Heard K, Bartelson BB, Garcia-Ubbelohde W, Bush S, Arnold T, Clark RC, Hendey GW, Holstege C, Spradley EA. A randomized, double-blind, placebo-controlled trial of a highly purified equine F(ab)2 antibody black widow spider antivenom., 2013;61:458-67
- Dayan PS. (see Nigrovic et al). 2013; 61:389-93 (Brief Research Report)
- De La Calzada-Jeanlouie M, Coombs J, Shauck N, Olsen D. Utility of sodium thiosulfate in acute cyanide toxicity., 2013;61:124-5 (Correspondence)
- Decker WW. (see Edlow et al). 2013; 61:225-43 (Clinical Policy)
- DeLano M. (see Oostema et al). 2013; 61:62-71 (Critically Appraised Topic)
- Delgado E. (see Berona et al). 2013; 61:615 (Images in Emergency Medicine)
- DeMers G. (see Al-Marshad et al). 2013; 61:223-4 (NHTSA Notes)
- Denmark TK. (see Schubert et al). 2013; 61:96-109
- Denning G. (see Faine et al). 2013; 61:120 (Correspondence Reply)
- Deutsch ES. (see Donoghue et al). 2013; 61:271-7
- Diller D. (see Sud et al). 2013; 61:597-8 (Correspondence)
- Ding R. (see Abulnain et al). 2013; (see Shokoohi et al). 2013; 61:198-203; 61:638-43 (Brief Research Report)
- Dixon P. (see Bebart et al). 2013; 61:125-6 (Correspondence Reply)
- Doan Q. (see Gravel et al). 2013; 61:27-32
- Donoghue AJ, Ades AM, Nishisaki A, Deutsch ES. Videolaryngoscopy versus direct laryngoscopy in simulated pediatric intubation., 2013;61:271-7
- Doran KM, Colucci AC, Hessler RA, Ngai CK, Williams ND, Wallach AB, Tanner M, Allen MH, Goldfrank LR, Wall SP. An intervention connecting low-acuity emergency department patients with primary care: effect on future primary care linkage., 2013;61:312-21
- Dorian P. (see Atzema et al). 2013; 61:539-48

- Dresden SM. Measuring the value of the emergency department from the patient's perspective., 2013;61:324–5 (Editorial)
 Dubrovsky AS. (see Gravel et al). 2013; 61:27–32
 Dudgeon D. (see Barbera et al). 2013; 61:427–37
 Dugas AF. (see Bianchi et al). 2013; (see Peterson et al). 2013; 61:37–43; 61:576–7 (CDC Update)
 Durston WE. (see Ranney et al). 2013; 61:700–2 (Editorial)
 Dyer KS. (see Burke et al). 2013; 61:303–11

E

- Earle C. (see Barbera et al). 2013; 61:427–37
 Edlow JA, Smith EE, Stead LG, Gronseth G, Messé SR, Jagoda AS, Wears RL, Decker WW, for the American College of Emergency Physicians and the American Academy of Neurology. Clinical policy: use of intravenous tPA for the management of acute ischemic stroke in the emergency department., 2013;61:225–43 (Clinical Policy)
 Elbaz M. (see Charpentier et al). 2013; 61:549–58
 Elmer J. (see Wilcox et al). 2013; 61:252–3 (Correspondence)
 Epstein SK. (see Burke et al). 2013; 61:303–11
 Eucker SA, Barrett TW, Schriger DL. Are 2 drugs better than 1 for acute agitation? A discussion on black box warnings, waiver of informed consent, and the ethics of enrolling impaired subjects in clinical trials., 2013;61:708–16 (Journal Club)
 Eucker SA, Barrett TW, Schriger DL. Are two drugs better than one for acute agitation? A discussion on black box warnings, waiver of informed consent, and the ethics of enrolling impaired subjects clinical trials., 2013;61:82–3 (Journal Club)

F

- Fagan SC. (see Boudreau et al). 2013; 61:46–55
 Faine B, Denning G, Nugent A, Nunge M. Implementing evidence-based changes in emergency department treatment: alternative vitamin therapy for alcohol-related illnesses., 2013;61:120 (Correspondence Reply)
 Fairbanks RJ. (see Kessler et al). 2013; 61:161–6 (Concepts)
 Falzon L. (see Oostema et al). 2013; 61:62–71 (Critically Appraised Topic)
 Fenton A. (see Ranney et al). 2013; 61:700–2 (Editorial)
 Fields JM. (see Hennessey et al). 2013; 61:124 (Correspondence Reply)
 Fitzpatrick E. (see Gravel et al). 2013; 61:27–32
 Fleischer DE. (see Meltzer et al). 2013; 61:438–43
 Flynn G. Emergency care crisis in the United Kingdom and Ireland: emergency physician exodus looms in wake of pay cuts, staffing shortages., 2013;61:15A–9A (May) (News and Perspective)
 Fox DS. (see Timbie et al). 2013; 61:677–89 (Review Article)
 Friedman FD. (see Burke et al). 2013; 61:303–11
 Friedman LM. (see Rabiner et al). 2013; 61:9–17
 Fritze Z. (see Heinrichs et al). 2013; 61:444–54
 Frohna WJ. (see Abualenain et al). 2013; 61:638–43 (Brief Research Report)
 Funkenstein A, Malowney M, Boyd JW. Insurance prior authorization approval does not substantially lengthen the emergency department length of stay for patients with psychiatric conditions., 2013;61:596–7 (Correspondence)

G

- Gallagher TH. (see Lu et al). 2013; 61:215–21 (Concepts)
 Ganetsky M. (see Berger et al). 2013; 61:475–9 (Brief Research Report)
 Garcia-Ubbelohde W. (see Dart et al). 2013; 61:458–67
 Gardner A, Schneider SM, for the Future of Emergency Medicine Summit II Participants. The future of emergency medicine: update 2011., 2013;61:624–30 (Special Contribution)
 Gausche-Hill M. (see Kaji et al). 2013; 61:379–87
 Gee CA. (see Nishijima et al). 2013; 61:509–17
 Geis GL. (see Mittiga et al). 2013; 61:263–70
 Georgiou A. (see Callen et al). 2013; 61:131–44
 Georgiou A, Prgommet M, Paoloni R, Creswick N, Hordern A, Walter S, Westbrook J. The effect of computerized provider order entry systems on clinical care and work processes in emergency departments: a systematic review of the quantitative literature., 2013;61:644–53 (Review Article)
 Ghaemmaghami CA. (see Casaletto et al). 2013; 61:578–83 (Concepts)
 Gibson K. (see Callen et al). 2013; 61:131–44
 Giovanni P. (see Menditto et al). 2013; 61:501–2 (Correspondence Reply)
 Goergen N, Cooper JG, Wintour K, Cooper JG. The threshold for CT scanning anticoagulated head injury patients is still not yet clear., 2013;61:500–1 (Correspondence)

- Goldfrank LR. (see Doran et al). 2013; 61:312–21
 Goldman RD. (see Gravel et al). 2013; 61:27–32
 Goodacre SW. Point-of-care testing may reduce length of stay but not emergency department crowding., 2013;61:153–4 (Editorial)
 Goolsby C. Balad's final dispo., 2013;61:368–9 (Change of Shift)
 Gordon B. (see Quaday et al). 2013; 61:e1–e2 (Images in Emergency Medicine)
 Gouin S. (see Gravel et al). 2013; 61:27–32
 Graham CA, Rainer TH. Utility of S100B in head injury care., 2013;61:120–1 (Correspondence)
 Gravel J, Fitzpatrick E, Gouin S, Millar K, Curtis S, Joubert G, Boutis K, Guimont C, Goldman RD, Dubrovsky AS, Porter R, Beer D, Doan Q, Osmond MH. Performance of the Canadian Triage and Acuity Scale for children: a multicenter database study., 2013;61:27–32
 Green SM. (see Cooper and Green). 2013; 61:44–5 (Editorial)
 Green SM. Congruence of disposition after emergency department intubation in the National Hospital Ambulatory Medical Care Survey., 2013;61:423–6 (Brief Research Report)
 Green SM. How does one learn critical care procedures in a pediatric emergency department?, 2013;61:279–80 (Editorial)
 Green SM. Oligo-evidence for oligoanalgesia: a non sequitur?, 2013;61:374–5 (Correspondence Reply)
 Green WL, Benitez F, Velez L, Weiner DS. Man with a rash., 2013;61:595 (Images in Emergency Medicine)
 Grifoni S. (see Vanni et al). 2013; 61:330–8
 Grissa MH. (see Boudia et al). 2013; 61:521–7
 Grome A. (see Schubert et al). 2013; 61:96–109
 Gronseth G. (see Edlow et al). 2013; 61:225–43 (Clinical Policy)
 Grudzen CR, Richardson LD, Major-Monfried H, Kandarian B, Ortiz JM, Morrison R. Hospital administrators' views on barriers and opportunities to delivering palliative care in the emergency department., 2013;61:654–60
 Guenther E. (see Lu et al). 2013; 61:215–21 (Concepts)
 Guimont C. (see Gravel et al). 2013; 61:27–32
 Gullo J, Singletary EM, Larese S. Emergency bedside sonographic diagnosis of subclavian artery pseudoaneurysm with brachial plexopathy after clavicle fracture., 2013;61:204–6 (Case Report)
 Guzauskas G. (see Boudreau et al). 2013; 61:46–55

H

- Hafner JW. (see Tudor and Hafner). 2013; 61:289–90 (Systematic Review Snapshot)
 Haguiga H. (see Boudia et al). 2013; 61:521–7
 Halila I. (see Boudia et al). 2013; 61:521–7
 Halim S. (see Arday et al). 2013; 61:719–20 (Correspondence)
 Hamedani AG. (see Cesarz et al). 2013; 61:209–14 (Brief Research Report)
 Han W. (see Sun et al). 2013; 61:605–11
 Hansen CK. (see Timbie et al). 2013; 61:677–89 (Review Article)
 Haukoos JS. (see Nishijima et al). 2013; 61:509–17
 Haukoos JS, Hopkins E, Bender B, Sasson C, Al-Tayyib AA, Thrun MW, for the Denver Emergency Department HIV Testing Research Consortium. Comparison of enhanced targeted rapid HIV screening using the Denver HIV Risk Score to nontargeted rapid HIV screening in the emergency department., 2013;61:353–61
 Hayes K. (see Kaji et al). 2013; 61:379–87
 Hays DP. (see Waterbrook et al). 2013; 61:502–3 (Correspondence Reply); 61:86–8 (Best Available Evidence)
 Heard K. (see Dart et al). 2013; 61:458–67
 Heiner J. (see Schauer et al). 2013; 61:e3–e4 (Images in Emergency Medicine)
 Heiner JD. (see Conway et al). 2013; (see Maher and Heiner). 2013; (see Palmer et al). 2013; 61:118 (Images in Emergency Medicine); 61:499 (Images in Emergency Medicine); 61:600–1 (Book and Media Reviews)
 Heinrichs J, Fritze Z, Vandermeer B, Klassen T, Curtis S. Ultrasonographically guided peripheral intravenous cannulation of children and adults: a systematic review and meta-analysis., 2013;61:444–54
 Hendey GW. (see Dart et al). 2013; 61:458–67
 Hennessey A, Lau WB, Fields JM. Clinical features of patients with pulmonary embolism and a negative PERC rule result., 2013;61:124 (Correspondence Reply)
 Herbert-Cohen D, Yeh JST, Hernandez J, Lewis RE, Saul T. Man with facial pain., 2013;61:278 (Images in Emergency Medicine)
 Hernandez J. (see Herbert-Cohen et al). 2013; 61:278 (Images in Emergency Medicine)
 Herr S. (see Quest et al). 2013; 61:661–7 (Concepts)

- Herring A. (see Lippert et al). 2013; 61:690–6 (Concepts)
 Hessler RA. (see Doran et al). 2013; 61:312–21
 Hill P. (see Bianchi et al). 2013; 61:37–43
 Hiller K. (see Waterbrook et al). 2013; 61:502–3 (Correspondence Reply); 61:86–8 (Best Available Evidence)
 Hilligoss B, Cohen MD. The unappreciated challenges of between-unit handoffs: negotiating and coordinating across boundaries., 2013;61:155–60 (Concepts)
 Hoffman RS. (see Shawn and Hoffman). 2013; 61:119–120 (Correspondence)
 Hollander JE. Research or mom: listen to your mother., 2013;61:196–7 (Editorial)
 Holmes JF. (see Nigrovic et al). 2013; (see Nishijima et al). 2013; 61:126–7 (Correspondence Reply); 61:389–93 (Brief Research Report); 61:509–17
 Holstege C. (see Dart et al). 2013; 61:458–67
 Hom J. Do decongestants, antihistamines, and nasal irrigation relieve the symptoms of sinusitis in children?, 2013;61:35–6 (Systematic Review Snapshot)
 Homan MB. (see Ross et al). 2013; 61:175–84
 Honigman L. (see Smulowitz et al). 2013; 61:293–300 (Concepts)
 Hopkins E. (see Haukoos et al). 2013; 61:353–61
 Hordern A. (see Georgiou et al). 2013; 61:644–53 (Review Article)
 House DR, Ngetich E, Vreeman RC, Rusyniak DE. Estimating the weight of children in Kenya: Do the Broselow tape and age-based formulas measure up?, 2013;61:1–8
 Howell D. (see Barbera et al). 2013; 61:427–37
 Howland MA. (see Shy et al). 2013; 61:257 (Correspondence)
 Hoyle J. (see Nigrovic et al). 2013; 61:389–93 (Brief Research Report)
 Hsia RY. (see Nishijima et al). 2013; (see Sun et al). 2013; 61:509–17; 61:605–11
 Hsieh YH. (see Bianchi et al). 2013; 61:37–43
 Hsu JH. (see Brooks et al). 2013; 61:530–8
 Huang C-F. (see Chen et al). 2013; 61:152 (Images in Emergency Medicine)
 Huffman A. Controlling opioid abuse in the emergency department: legitimate public policy or “legislative medicine”?, 2013;61:13A–15A (Jun) (News and Perspective)
 Huffman A. Principal investigators in medical research: is what you see in fact what you get?, 2013;61:19A–21A (May) (News and Perspective)
 Huffman A. Use of observation units growing, but variable billing practices sometimes leave patients on the financial hook., 2013;61:21A–3A (Feb) (News and Perspective)
 Hung Y, Lin T-Y. Young man with fever and cough., 2013;61:370 (Images in Emergency Medicine)
 Hunter BR, Kirschner J. In patients with severe sepsis, does a single dose of etomidate to facilitate intubation increase mortality?, 2013;61:571–2 (Systematic Review Snapshot)
 Hunter BR, Seupaul RA. Are there pharmacologic agents that safely and effectively treat post-lumbar puncture headache?, 2013;61:84–5 (Systematic Review Snapshot)
 Husain A. (see Barbera et al). 2013; 61:427–37
- I**
- Imperato J. (see Burke et al). 2013; 61:303–11
- J**
- Jacobs ES. (see Nigrovic et al). 2013; 61:389–93 (Brief Research Report)
 Jacobus CH. (see Raja and Jacobus). 2013; 61:207–8 (Systematic Review Snapshot)
 Jacobus CH, Raja AS. How accurate are rapid influenza diagnostic tests?, 2013; 61:89–90 (Systematic Review Snapshot)
 Jagoda AS. (see Edlow et al). 2013; 61:225–43 (Clinical Policy)
 Jang JY, Shin SD, Lee EJ, Park CB, Song KJ, Singer AJ. Use of a comprehensive metabolic panel point-of-care test to reduce length of stay in the emergency department: a randomized controlled trial., 2013;61:145–51
 Jeong M. (see Oh et al). 2013; 61:407–13
 Jesus JE. (see Michael and Jesus). 2013; 61:256–7 (Correspondence Reply)
 Jeyakumar R. (see Brooks et al). 2013; 61:530–8
 Joubert G. (see Gravel et al). 2013; 61:27–32
 Joyce N. (see Burke et al). 2013; 61:303–11
- K**
- Kahn C. (see Al-Marshad et al). 2013; (see McCoy et al). 2013; 61:167–74; 61:223–4 (NHTSA Notes)
 Kaji AH, Claudius I, Santillanes G, Mittal MK, Hayes K, Lee J, Gausche-Hill M. Apparent life-threatening event: multicenter prospective cohort study to develop a clinical decision rule for admission to the hospital., 2013;61:379–87
 Kalsi KS. Atlas of conducted electrical weapon wounds and forensic analysis., 2013;61:600 (Book and Media Reviews)
 Kandarian B. (see Grudzen et al). 2013; 61:654–60
 Kang CS. Zoobiquity: what animals can't teach us about health and the science of healing., 2013;61:128 (Book and Media Reviews)
 Kang H. (see Oh et al). 2013; 61:407–13
 Keeler E. (see Waxman and Keeler). 2013; 61:56–7 (Editorial)
 Kellermann AL. (see Timbie et al). 2013; 61:677–89 (Review Article)
 Kenen J. Bearing witness: more emergency physicians allowing families in the resuscitation room., 2013;61:13A–4A (Jan) (News and Perspective)
 Kerkeni W. (see Bouida et al). 2013; 61:521–7
 Kerrey BT. (see Mitriga et al). 2013; 61:263–70
 Kerrigan JR. (see Sochor and Kerrigan). 2013; 61:485–7 (NHTSA Notes)
 Kessler CS, Asrow A, Beach C, Cheung D, Fairbanks RJ, Lammers JC, Tibbles C, Wears R, Woods R, Schuur JD. The taxonomy of emergency department consultations—results of an expert consensus panel., 2013;61:161–6 (Concepts)
 Khare RK. (see McHugh et al). 2013; 61:616–23
 Khedher S. (see Bouida et al). 2013; 61:521–7
 Khedir Al-Tiae T. (see Shokoohi et al). 2013; 61:198–203
 Khine H. (see Rabiner et al). 2013; 61:9–17
 Kim D. (see Oh et al). 2013; 61:407–13
 King A. (see Burke et al). 2013; 61:303–11
 Kirschner J. (see Hunter and Kirschner). 2013; 61:571–2 (Systematic Review Snapshot)
 Klassen T. (see Heinrichs et al). 2013; 61:444–54
 Klein EJ. (see Brown et al). 2013; 61:19–26
 Kline JA, Slattery D, O'Neil BJ, Thompson JR, Miller CD, Schreiber D, Briesse BA, Pollack CV Jr. Clinical features of patients with pulmonary embolism and a negative PERC rule result., 2013;61:122–4 (Correspondence)
 Knebel AR. (see Timbie et al). 2013; 61:677–89 (Review Article)
 Knott JC. (see Chan et al). 2013; 61:598–9 (Correspondence Reply); 61:72–81
 Kong DCM. (see Chan et al). 2013; 61:598–9 (Correspondence Reply); 61:72–81
 Korte RC. (see Smith-Coggins et al). 2013; 61:584–92 (Special Contribution)
 Kowalenko T. (see Smith-Coggins et al). 2013; 61:584–92 (Special Contribution)
 Kresiberg RB. (see Meltzer et al). 2013; 61:438–43
 Krug S. (see Rhodes et al). 2013; 61:394–403
 Krumholz HM. (see Landman et al). 2013; 61:185–95
 Ksibi H. (see Bouida et al). 2013; 61:521–7
 Kuppermann N. (see Nigrovic et al). 2013; 61:389–93 (Brief Research Report)
- L**
- Laborey M. (see Ribèreau-Gayon et al). 2013; 61:121–2 (Correspondence Reply)
 Lagarde E. (see Ribèreau-Gayon et al). 2013; 61:121–2 (Correspondence Reply)
 Lai SM. (see Ong et al). 2013; 61:339–47
 Laird J. (see Bebart et al). 2013; 61:125–6 (Correspondence Reply)
 Lakoff DJ. (see Reiter et al). 2013; 61:110–3 (Residents' Perspective)
 Lamba S. (see Quest et al). 2013; 61:661–7 (Concepts)
 Lammers JC. (see Kessler et al). 2013; 61:161–6 (Concepts)
 Lampard JG, Lang E. Vasopressors for hypotensive shock., 2013;61:351–2 (Systematic Review Snapshot)
 Landman AB, Spatz ES, Cherlin EJ, Krumholz HM, Bradley EH, Curry LA. Hospital collaboration with emergency medical services in the care of patients with acute myocardial infarction: perspectives from key hospital staff., 2013;61:185–95
 Landon BE. (see Smulowitz et al). 2013; 61:293–300 (Concepts)
 Lang E. (see Lampard and Lang). 2013; 61:351–2 (Systematic Review Snapshot)
 Larese S. (see Gullo et al). 2013; 61:204–6 (Case Report)
 Lau WB. (see Hennessey et al). 2013; 61:124 (Correspondence Reply)
 Lauque D. (see Charpentier et al). 2013; 61:549–58
 Lavonas EJ, Benson BE, Seifert SA. Failure to develop sensitization despite repeated administration of ovine Fab snake antivenom: update of a single-patient, multicenter case series., 2013;61:371–2 (Correspondence)
 Lawson CC. (see Rhodes et al). 2013; 61:394–403
 Lee EJ. (see Jang et al). 2013; 61:145–51

- Lee FCY. (see Ong et al). 2013; 61:339–47
- Lee J. (see Akhter et al). 2013; (see Kaji et al). 2013; 61:362–3 (Systematic Review Snapshot); 61:379–87; 61:407–13
- Lee S, Bellamkonda Athmaram VR, Anderson JL. Infant with limpness., 2013; 61:18 (Images in Emergency Medicine)
- Lepage B. (see Charpentier et al). 2013; 61:549–58
- Letaief M. (see Bouida et al). 2013; 61:521–7
- Levine M, Levitan R, Skolnik A. Compartment syndrome after “bath salts” use: a case series., 2013;61:480–3 (Case Report)
- Levitan R. (see Levine et al). 2013; 61:480–3 (Case Report)
- Levitan RM. Video laryngoscopy, regardless of blade shape, still requires a backup plan., 2013;61:421–2 (Editorial)
- Levy JA, Bachur RG, Monuteaux MC, Waltzman M. Intravenous dextrose for children with gastroenteritis and dehydration: a double-blind randomized controlled trial., 2013;61:281–8
- Lewis RE. (see Herbert-Cohen et al). 2013; 61:278 (Images in Emergency Medicine)
- Li H. (see Ong et al). 2013; 61:339–47
- Li J. (see Callen et al). 2013; 61:131–44
- Liang L-J. (see Sun et al). 2013; 61:605–11
- Lillis K. (see Nigrovic et al). 2013; 61:389–93 (Brief Research Report)
- Lim BL. (see Ong et al). 2013; 61:339–47
- Lim T. (see Oh et al). 2013; 61:407–13
- Lin T-Y. (see Hung and Lin). 2013; 61:370 (Images in Emergency Medicine)
- Lindauer C. (see Bianchi et al). 2013; 61:37–43
- Lippert SC, Nagdev A, Stone MB, Herring A, Norris R. Pain control in disaster settings: a role for ultrasound-guided nerve blocks., 2013;61:690–6 (Concepts)
- Liu Y. (see Barbera et al). 2013; 61:427–37
- Liu YT. (see Shokoohi et al). 2013; 61:198–203
- Louis M, Ricketson J, Wishart I. What is the accuracy of screening instruments for alcohol and cannabis misuse disorders among adolescents and young adults in the emergency department?, 2013;61:404–6 (Systematic Review Snapshot)
- Lovato LM. Commentary., 2013;61:366–7 (CDC Update)
- Lu DW, Guenther E, Wesley AK, Gallagher TH. Disclosure of harmful medical errors in out-of-hospital care., 2013;61:215–21 (Concepts)
- Lucio S. (see Rudinsky and Lucio). 2013; 61:388 (Images in Emergency Medicine)
- Lumpkin MH. (see Rodricks et al). 2013; 61:718–9 (Correspondence)
- Lyon RF. (see Conway et al). 2013; 61:118 (Images in Emergency Medicine)
- M**
- Maciejko TM. (see Burke et al). 2013; 61:303–11
- Maier P, Heiner JD. Rapid interpretation of ECGs in emergency medicine: a visual guide., 2013;61:600–1 (Book and Media Reviews)
- Major-Monfried H. (see Grudzen et al). 2013; 61:654–60
- Maldonado NG, Takhar SS. Commentary., 2013;61:94–5 (CDC Update)
- Malowney M. (see Funkenstein et al). 2013; 61:596–7 (Correspondence)
- Malya RR. Does combination treatment with ibuprofen and acetaminophen improve fever control?, 2013;61:569–70 (Systematic Review Snapshot)
- Marco CA. (see Smith-Coggins et al). 2013; 61:584–92 (Special Contribution)
- Marghli S. (see Bouida et al). 2013; 61:521–7
- Mark DG, Vinson DR, Ballard DW, on behalf of the Kaiser Permanente CREST Network Investigators. Clinical suspicion of subarachnoid hemorrhage and negative head computed tomographic scan performed within 6 hours of headache onset—no need for lumbar puncture., 2013;61:504–5 (Correspondence Reply)
- Martin M, Conlon LW. Does platelet transfusion improve outcomes in patients with spontaneous or traumatic intracerebral hemorrhage?, 2013;61:58–61 (Best Available Evidence)
- Masson F. (see Ribéreau-Gayon et al). 2013; 61:121–2 (Correspondence Reply)
- Matlock AG. Practical assessment and treatment of the patient with headaches in the emergency department and urgent care clinic., 2013;61:506 (Book and Media Reviews)
- Maupas-Schwalm F. (see Charpentier et al). 2013; 61:549–58
- Maxim PC. (see Nishijima et al). 2013; 61:509–17
- McCarthy M. (see Shokoohi et al). 2013; 61:198–203
- McCoy CE, Menchine M, Sampson S, Anderson C, Kahn C. Emergency medical services out-of-hospital scene and transport times and their association with mortality in trauma patients presenting to an urban level I trauma center., 2013;61:167–74
- McCreath H. (see Sun et al). 2013; 61:605–11
- McHugh M, Neimeyer J, Powell E, Khare RK, Adams JG. An early look at performance on the emergency care measures included in Medicare's Hospital Inpatient Value-Based Purchasing Program., 2013;61:616–23
- McKenna M. NIH launches Emergency Care Research Office: coordinating center lauded but challenges noted., 2013;61:19A–22A (Mar) (News and Perspective)
- McNaughton CD, Self WH. Observational health services studies using nationwide administrative datasets: understanding strengths and limitations of the National Hospital Ambulatory Medical Care Survey (NHAMCS)., 2013;61:593–4 (Journal Club)
- Meguerdichian DA. Perfect phrases for healthcare professionals., 2013;61:259 (Book and Media Reviews)
- Melnikow JA. (see Nishijima et al). 2013; 61:509–17
- Meltzer AC, Ali MA, Kresiberg RB, Patel G, Smith JP, Pines JM, Fleischer DE. Video capsule endoscopy in the emergency department: a prospective study of acute upper gastrointestinal hemorrhage., 2013;61:438–43
- Menchine M. (see McCoy et al). 2013; 61:167–74
- Menditto V, Stefano P, Moira L, Giovanni P, Armando G. The threshold for CT scanning anticoagulated head injury patients is still not yet clear., 2013; 61:501–2 (Correspondence Reply)
- Merrill H. (see Potis and Merrill). 2013; 61:291–2 (Systematic Review Snapshot)
- Messé SR. (see Edlow et al). 2013; 61:225–43 (Clinical Policy)
- Methammem M. (see Bouida et al). 2013; 61:521–7
- Michael GE, Jesus JE. Uncontrolled donation after circulatory determination of death protocols: ethical challenges and suggestions for improvement., 2013; 61:256–7 (Correspondence Reply)
- Millar K. (see Gravel et al). 2013; 61:27–32
- Miller CD. (see Kline et al). 2013; 61:122–4 (Correspondence)
- Miskin M. (see Nigrovic et al). 2013; 61:389–93 (Brief Research Report)
- Mittal MK. (see Kaji et al). 2013; 61:379–87
- Mittiga MR, Geis GL, Kerrey BT, Rinderknecht AS. The spectrum and frequency of critical procedures performed in a pediatric emergency department: implications of a provider-level view., 2013;61:263–70
- Mohr NM, Wessman B. Continuous capnography should be used for every emergency department procedural sedation., 2013;61:697–8 (Clinical Controversies)
- Moira L. (see Menditto et al). 2013; 61:501–2 (Correspondence Reply)
- Moll HA. (see Seiger and Moll). 2013; 61:372–3 (Correspondence)
- Monroe D. (see Nigrovic et al). 2013; 61:389–93 (Brief Research Report)
- Monuteaux MC. (see Levy et al). 2013; 61:281–8
- Moore M. (see Timbie et al). 2013; 61:677–89 (Review Article)
- Morrison R. (see Grudzen et al). 2013; 61:654–60
- Morton MJ, Omron R. Are thrombolytics indicated for pulmonary embolism?, 2013;61:455–7 (Systematic Review Snapshot)
- Mosely DS. When doctors don't listen: how to avoid misdiagnoses and unnecessary tests., 2013;61:722 (Book and Media Reviews)
- Mosier J, Chiu S, Patanwala AE, Sakles JC. A comparison of the Glidescope video laryngoscope to the C-MAC video laryngoscope for intubation in the emergency department., 2013;61:414–20
- Muelleman RL. (see Smith-Coggins et al). 2013; 61:584–92 (Special Contribution)
- Mukau L. (see Ranney et al). 2013; 61:700–2 (Editorial)
- N**
- Nagdev A. (see Lippert et al). 2013; 61:690–6 (Concepts)
- Nakano KT. (see Arday et al). 2013; 61:719–20 (Correspondence)
- National Highway Traffic Safety Administration. An analysis of recent improvements to vehicle safety., 2013;61:222 (NHTSA Notes)
- National Highway Traffic Safety Administration. Motor vehicle traffic crashes as a leading cause of death in the United States, 2008 and 2009., 2013;61:484 (NHTSA Notes)
- National Highway Traffic Safety Administration. Not-in-traffic surveillance—non-crash injuries., 2013;61:703–4 (NHTSA Notes)
- Nazerian P. (see Vanni et al). 2013; 61:330–8
- Neimeyer J. (see McHugh et al). 2013; 61:616–23
- Nelson L. (see Sud et al). 2013; 61:597–8 (Correspondence)
- Newgard CD. (see Nishijima et al). 2013; 61:509–17
- Newman DH. (see Ranney et al). 2013; 61:700–2 (Editorial)

- Newman DH, Shreves AE, Runde DP. Pediatric urinary tract infection: does the evidence support aggressively pursuing the diagnosis?, 2013;61:559-65 (Concepts)
- Ngai CK. (see Doran et al). 2013; 61:312-21
- Ngetich E. (see House et al). 2013; 61:1-8
- Nigrovic LE, Lillis K, Atabaki SM, Dayan PS, Hoyle J, Tunik MG, Jacobs ES, Monroe D, Wootton-Gorges SW, Miskin M, Holmes JF, Kuppermann N, for the Traumatic Brain Injury (TBI) Working Group of the Pediatric Emergency Care Applied Research Network (PECARN). The prevalence of traumatic brain injuries after minor blunt head trauma in children with ventricular shunts., 2013;61:389-93 (Brief Research Report)
- Nishijima DK, Haukoos JS, Newgard CD, Staudenmayer K, White N, Slattery D, Maxim PC, Gee CA, Hsia RY, Melnikow JA, Holmes JF. Variability of ICU use in adult patients with minor traumatic intracranial hemorrhage., 2013;61:509-17
- Nishijima DK, Holmes JF, Offerman SR, Ballard DW, Vinson DR, Chertipally UK, Rauchwerger AS, Reed ME. Delayed intracranial hemorrhage from mild head injury and warfarin use., 2013;61:126-7 (Correspondence Reply)
- Nishisaki A. (see Donoghue et al). 2013; 61:271-7
- Norris R. (see Lippert et al). 2013; 61:690-6 (Concepts)
- Nouira S. (see Bouida et al). 2013; 61:521-7
- Nugent A. (see Faine et al). 2013; 61:120 (Correspondence Reply)
- Nunge M. (see Faine et al). 2013; 61:120 (Correspondence Reply)
- O**
- O'Keefe S. Wounds and Lacerations: emergency care and closure (fourth edition)., 2013;61:376-7 (Book and Media Reviews)
- O'Neil BJ. (see Kline et al). 2013; 61:122-4 (Correspondence)
- Offerman SR. (see Nishijima et al). 2013; 61:126-7 (Correspondence Reply)
- Oh J, Lim T, Chee Y, Kang H, Cho Y, Lee J, Kim D, Jeong M. Videographic analysis of glottic view with increasing cricoid pressure force., 2013;61:407-13
- Olsen D. (see De La Calzada-Jeanlouie et al). 2013; 61:124-5 (Correspondence)
- Omron R. (see Morton and Omron). 2013; 61:455-7 (Systematic Review Snapshot)
- Ong MEH, Wong ASL, Seet CM, Teo SG, Lim BL, Ong PJL, Lai SM, Ong SH, Lee FCY, Chan KP, Anantharaman V, Chua TSJ, Pek PP, Li H. Nationwide improvement of door-to-balloon times in patients with acute ST-segment elevation myocardial infarction requiring primary percutaneous coronary intervention with out-of-hospital 12-lead ECG recording and transmission., 2013;61:339-47
- Ong PJL. (see Ong et al). 2013; 61:339-47
- Ong SH. (see Ong et al). 2013; 61:339-47
- Oostema JA, Brown MD, DeLano M, Falzon L, Reeves MJ. Does diffusion-weighted imaging predict short-term risk of stroke in emergency department patients with transient ischemic attack?, 2013;61:62-71 (Critically Appraised Topic)
- Ortega-Deballon I, Vailhen DR-A, Smith MJ. Uncontrolled donation after circulatory determination of death protocols: ethical challenges and suggestions for improvement., 2013;61:255-6 (Correspondence)
- Ortiz JM. (see Grudzen et al). 2013; 61:654-60
- Osincup D. (see Brown et al). 2013; 61:19-26
- Osmond MH. (see Gravel et al). 2013; 61:27-32
- P**
- Pacella CB, Yealy DM. Are we asking the right triage questions?, 2013;61:33-4 (Editorial)
- Palmer BL, Heiner JD, Chin EJ. Young man with fever and shortness of breath., 2013;61:499 (Images in Emergency Medicine)
- Paoloni R. (see Callen et al). 2013; (see Georgiou et al). 2013; 61:131-44; 61:644-53 (Review Article)
- Pappas J. (see Schubert et al). 2013; 61:96-109
- Park CB. (see Jang et al). 2013; 61:145-51
- Park JB, Choi HJ. A woman with right lower quadrant pain., 2013;61:251 (Images in Emergency Medicine)
- Patanwala AE. (see Mosier et al). 2013; 61:414-20
- Patek GC, Thoma TG. Commentary: vehicular hyperthermia: the reason to look before you lock., 2013;61:704-6 (NHTSA Notes)
- Patel G. (see Meltzer et al). 2013; 61:438-43
- Patel PB, Vinson DR. Physician e-mail and telephone contact after emergency department visit improves patient satisfaction: a crossover trial., 2013;61:631-7
- Pearlmutter MD. (see Burke et al). 2013; 61:303-11
- Pearson T. (see Wu and Pearson). 2013; 61:520 (Images in Emergency Medicine)
- Pek PP. (see Ong et al). 2013; 61:339-47
- Pepe G. (see Vanni et al). 2013; 61:330-8
- Peterson S, Dugas AF, Rothman RE. Commentary., 2013;61:576-7 (CDC Update)
- Phillips GA. (see Chan et al). 2013; 61:598-9 (Correspondence Reply); 61:72-81
- Phillips GS. (see Brown et al). 2013; 61:19-26
- Pillemer F. (see Timbie et al). 2013; 61:677-89 (Review Article)
- Pines JM. (see Abualenain et al). 2013; (see Meltzer et al). 2013; 61:438-43; 61:638-43 (Brief Research Report)
- Pines JM. Emergency department crowding in California: a silent killer?, 2013; 61:612-4 (Editorial)
- Pitotti R. (see Beberta et al). 2013; 61:125-6 (Correspondence Reply)
- Pollack CV Jr. (see Kline et al). 2013; 61:122-4 (Correspondence)
- Porter R. (see Gravel et al). 2013; 61:27-32
- Potis T, Merrill H. Is pronation less painful and more effective than supination for reduction of a radial head subluxation?, 2013;61:291-2 (Systematic Review Snapshot)
- Pourmand A. (see Shokoohi et al). 2013; 61:198-203
- Powell E. (see McHugh et al). 2013; 61:616-23
- Press GM. (see Radecki et al). 2013; 61:489-98 (Journal Club)
- Prgomet M. (see Georgiou et al). 2013; 61:644-53 (Review Article)
- Q**
- Quaday KA, Gordon B, Browne A. Woman with severe chest pain., 2013;61:e1-e2 (Images in Emergency Medicine)
- Quest T, Herr S, Lamba S, Weissman D. Demonstrations of clinical initiatives to improve palliative care in the emergency department: a report from the IPAL-EM initiative., 2013;61:661-7 (Concepts)
- R**
- Rabiner JE, Khine H, Avner JR, Friedman LM, Tsung JW. Accuracy of point-of-care ultrasonography for diagnosis of elbow fractures in children., 2013; 61:9-17
- Radecki RP, Chathampally YG, Press GM. rt-PA and stroke: does IST-3 make it all clear or muddy the waters? Answers to the November 2012 Journal Club questions., 2013;61:489-98 (Journal Club)
- Rainer TH. (see Graham and Rainer). 2013; 61:120-1 (Correspondence)
- Raja AS. (see Jacobus and Raja). 2013; (see Schuur and Raja). 2013; 61:720-1 (Correspondence Reply); 61:89-90 (Systematic Review Snapshot)
- Raja AS, Jacobus CH. How accurate is ultrasonography for excluding pneumothorax?, 2013;61:207-8 (Systematic Review Snapshot)
- Ranney ML, Sankoff J, Newman DH, Fenton A, Mukau L, Durston WE, Ballard DW, Wintemute G. A call to action: firearms, public health, and emergency medicine., 2013;61:700-2 (Editorial)
- Rasler F. Delayed intracranial hemorrhage from mild head injury and warfarin use., 2013;61:126 (Correspondence)
- Rauchwerger AS. (see Nishijima et al). 2013; 61:126-7 (Correspondence Reply)
- Reed ME. (see Nishijima et al). 2013; 61:126-7 (Correspondence Reply)
- Reeves MJ. (see Oostema et al). 2013; 61:62-71 (Critically Appraised Topic)
- Reiter DA, Lakoff DJ, Trueger NS, Shah KH. Individual interactive instruction: an innovative enhancement to resident education., 2013;61:110-3 (Residents' Perspective)
- Rejeb I. (see Bouida et al). 2013; 61:521-7
- Rekik N. (see Bouida et al). 2013; 61:521-7
- Reuter N. (see Vagi et al). 2013; 61:468-74
- Reyes-Gibby CC, Todd KH. Oligo-evidence for oligoanalgesia: a non sequitur?, 2013;61:373-4 (Correspondence)
- Reynolds TA. A Tunisian, a Canadian, and an American walk into a bar (sustaining mild head injury), 2013;61:528-9 (Editorial)
- Rhodes KV, Bisgaier J, Lawson CC, Soglin D, Krug S, Van Haitsma M. "Patients who can't get an appointment go to the ER": access to specialty care for publicly insured children., 2013;61:394-403

- Ribéreau-Gayon R, Masson F, Laborey M, Contrand B, Salmi LR, Beaudoux JL, Lagarde E. Utility of S100B in head injury care., 2013;61:121–2 (Correspondence Reply)
- Ricciardi R. (see Timbie et al). 2013; 61:677–89 (Review Article)
- Richardson LD. (see Grudzen et al). 2013; 61:654–60
- Ricketson J. (see Louis et al). 2013; 61:404–6 (Systematic Review Snapshot)
- Rinderknecht AS. (see Mittiga et al). 2013; 61:263–70
- Ringel JS. (see Timbie et al). 2013; 61:677–89 (Review Article)
- Rinkel GJE. (see Vergouwen and Rinkel). 2013; 61:503–4 (Correspondence)
- Rodricks JV, Lumpkin MH, Schilling BK. Pharmacokinetic data distinguish abusive versus dietary supplement uses of 1,3-dimethylamylamine., 2013;61:718–9 (Correspondence)
- Rosenberg NK. Lost in translation., 2013;61:707 (Change of Shift)
- Ross DW, Schuller JR, Homan MB. EMS triage and transport of intoxicated individuals to a detoxification facility instead of an emergency department., 2013;61:175–84
- Rothman RE. (see Bianchi et al). 2013; (see Peterson et al). 2013; 61:37–43; 61:576–7 (CDC Update)
- Rothrock SG. A single review article cannot define a standard of care for uncomplicated wounds., 2013;61:502 (Correspondence)
- Rudinsky SL, Lucio S. Young child with cyst on tongue., 2013;61:388 (Images in Emergency Medicine)
- Runde D. (see Akhter et al). 2013; 61:362–3 (Systematic Review Snapshot)
- Runde DP. (see Newman et al). 2013; 61:559–65 (Concepts)
- Rusyniak DE. (see House et al). 2013; 61:1–8
- S**
- Saheed M. (see Bianchi et al). 2013; 61:37–43
- Saidinejad M. (see Staple and Saidinejad). 2013; 61:717 (Images in Emergency Medicine)
- Sakchalathorn P. (see Brown et al). 2013; 61:19–26
- Sakles JC. (see Mosier et al). 2013; 61:414–20
- Sakles JC. Video laryngoscopy is a valuable adjunct in emergency airway management but is not sufficient as an exclusive method of training residents., 2013;61:253 (Correspondence Reply)
- Salhanick SD. (see Berger et al). 2013; 61:475–9 (Brief Research Report)
- Salmi LR. (see Ribéreau-Gayon et al). 2013; 61:121–2 (Correspondence Reply)
- Saloum D. Critical skills: use them or lose them., 2013;61:599 (Correspondence)
- Sampson S. (see McCoy et al). 2013; 61:167–74
- Sankoff J. (see Ranney et al). 2013; 61:700–2 (Editorial)
- Santillanes G. (see Kaji et al). 2013; 61:379–87
- Sasson C. (see Haukoos et al). 2013; 61:353–61
- Sattarian M. (see Shokoohi et al). 2013; 61:198–203
- Saul T. (see Herbert-Cohen et al). 2013; 61:278 (Images in Emergency Medicine)
- Sayah A. (see Burke et al). 2013; 61:303–11
- Schauer S, Summers S, Heiner J. Woman with worsening exertional dyspnea., 2013;61:e3–e4 (Images in Emergency Medicine)
- Schier JG. (see Vagi et al). 2013; 61:468–74
- Schilling BK. (see Rodricks et al). 2013; 61:718–9 (Correspondence)
- Schneider SM. (see Gardner and Schneider). 2013; 61:624–30 (Special Contribution)
- Schoenfeld E. (see Shokoohi et al). 2013; 61:198–203
- Schreiber D. (see Kline et al). 2013; 61:122–4 (Correspondence)
- Schriger DL. (see Eucker et al). 2013; (see Terp and Schriger). 2013; 61:698–9 (Clinical Controversies); 61:708–16 (Journal Club); 61:82–3 (Journal Club)
- Schriger DL, Barrett TW. Continuing care for patients choosing the emergency department as a site for primary care: feasibility, benefits, and EMTALA considerations., 2013;61:322–3 (Journal Club)
- Schubert CC, Denmark TK, Crandall B, Grome A, Pappas J. Characterizing novice-expert differences in macrocognition: an exploratory study of cognitive work in the emergency department., 2013;61:96–109
- Schulke JR. (see Ross et al). 2013; 61:175–84
- Schuur JD. (see Kessler et al). 2013; 61:161–6 (Concepts)
- Schuur JD, Raja AS. Assessment of Medicare's imaging efficiency measure for emergency department patients with traumatic headache., 2013;61:720–1 (Correspondence Reply)
- Scott J. (see Shokoohi et al). 2013; 61:198–203
- Seet CM. (see Ong et al). 2013; 61:339–47
- Seifert SA. (see Lavonas et al). 2013; 61:371–2 (Correspondence)
- Seiger N, Moll HA. Triage systems: outcome measures to validate., 2013;61:372–3 (Correspondence)
- Self WH. (see McNaughton and Self). 2013; 61:593–4 (Journal Club)
- Seow H. (see Barbera et al). 2013; 61:427–37
- Seupaul RA. (see Hunter and Seupaul). 2013; 61:84–5 (Systematic Review Snapshot)
- Shah KH. (see Reiter et al). 2013; 61:110–3 (Residents' Perspective)
- Shaukat N. (see De La Calzada-Jeanlouie et al). 2013; 61:124–5 (Correspondence)
- Shaw KN. Call for a rational approach for testing for urinary tract infection as a source of fever in infants., 2013;61:566–8 (Editorial)
- Shawn LK, Hoffman RS. Implementing evidence-based changes in emergency department treatment: alternative vitamin therapy for alcohol-related illnesses., 2013;61:119–120 (Correspondence)
- Sheikh S. (see Vagi et al). 2013; 61:468–74
- Shesser R. (see Abualenain et al). 2013; (see Shokoohi et al). 2013; 61:198–203; 61:638–43 (Brief Research Report)
- Shin SD. (see Jang et al). 2013; 61:145–51
- Shokoohi H, Boniface K, McCarthy M, Khedir Al-Tiae T, Sattarian M, Ding R, Liu YT, Pourmand A, Schoenfeld E, Scott J, Shesser R, Yadav K. Ultrasound-guided peripheral intravenous access program is associated with a marked reduction in central venous catheter use in noncritically ill emergency department patients., 2013;61:198–203
- Shreves AE. (see Newman et al). 2013; 61:559–65 (Concepts)
- Shy BD, Strayer RJ, Howland MA. Independent dosing of propofol and ketamine may improve procedural sedation compared with the combination "ketofol", 2013;61:257 (Correspondence)
- Singer AJ. (see Jang et al). 2013; 61:145–51
- Singletary EM. (see Gullo et al). 2013; 61:204–6 (Case Report)
- Skolnik A. (see Levine et al). 2013; 61:480–3 (Case Report)
- Slattery D. (see Kline et al). 2013; (see Nishijima et al). 2013; 61:122–4 (Correspondence); 61:509–17
- Slivka R. (see Suarez and Slivka). 2013; 61:348–50 (Case Report)
- Smith EE. (see Edlow et al). 2013; 61:225–43 (Clinical Policy)
- Smith JP. (see Meltzer et al). 2013; 61:438–43
- Smith M. (see Abualenain et al). 2013; 61:638–43 (Brief Research Report)
- Smith MJ. (see Ortega-Deballon et al). 2013; 61:255–6 (Correspondence)
- Smith-Coggins R, Baren JM, Counselman FL, Kowalenko T, Marco CA, Muelleman RL, Wahl RP, Korte RC. American Board of Emergency Medicine report on residency training information (2012–2013), American Board of Emergency Medicine., 2013;61:584–92 (Special Contribution)
- Smolinske S. (see Vagi et al). 2013; 61:468–74
- Smulowitz PB, Honigman L, Landon BE. A novel approach to identifying targets for cost reduction in the emergency department., 2013;61:293–300 (Concepts)
- Socci F. (see Vanni et al). 2013; 61:330–8
- Sochor M, Kerrigan JR. Commentary: making progress but not there yet., 2013;61:485–7 (NHTSA Notes)
- Soglin D. (see Rhodes et al). 2013; 61:394–403
- Song KJ. (see Jang et al). 2013; 61:145–51
- Souissi S. (see Bouida et al). 2013; 61:521–7
- Spatz ES. (see Landman et al). 2013; 61:185–95
- Spradley EA. (see Dart et al). 2013; 61:458–67
- Staple LE, Saidinejad M. An adolescent male with a large palatal mass., 2013; 61:717 (Images in Emergency Medicine)
- Staudenmayer K. (see Nishijima et al). 2013; 61:509–17
- Stead LG. (see Edlow et al). 2013; 61:225–43 (Clinical Policy)
- Stefano P. (see Menditto et al). 2013; 61:501–2 (Correspondence Reply)
- Steffenhagen AL. (see Cesar et al). 2013; 61:209–14 (Brief Research Report)
- Stewart M. (see Callen et al). 2013; 61:131–44
- Stone MB. (see Lippert et al). 2013; 61:690–6 (Concepts)
- Stone S. (see Abbott and Stone). 2013; 61:372 (Correspondence)
- Strayer RJ. (see Shy et al). 2013; 61:257 (Correspondence)
- Suarez AE, Slivka R. Acute superior vena cava syndrome after rupture of Kommerell's diverticulum: a case report., 2013;61:348–50 (Case Report)
- Sud P, Nelson L, Diller D. Intravenous droperidol or olanzapine as an adjunct to midazolam for the acutely agitated patient: a multicenter, randomized, double-blind, placebo-controlled clinical trial., 2013;61:597–8 (Correspondence)
- Summers S. (see Schauer et al). 2013; 61:e3–e4 (Images in Emergency Medicine)

- Sun BC, Hsia RY, Weiss RE, Zingmond D, Liang L-J, Han W, McCreath H, Asch SM. Effect of emergency department crowding on outcomes of admitted patients., 2013;61:605–11
- Sussman J. (see Barbera et al). 2013; 61:427–37
- Sutradhar R. (see Barbera et al). 2013; 61:427–37
- Svenson J. (see Cesarz et al). 2013; 61:209–14 (Brief Research Report)

T

- Taira BR. Public health interventions in the emergency department: one resident's perspective., 2013;61:326–9 (Residents' Perspective)
- Takhar SS. (see Maldonado and Takhar). 2013; 61:94–5 (CDC Update)
- Tanen DA. (see Bebarra et al). 2013; 61:125–6 (Correspondence Reply)
- Tang SK. (see Brooks et al). 2013; 61:530–8
- Tanner M. (see Doran et al). 2013; 61:312–21
- Taylor DM. (see Chan et al). 2013; 61:598–9 (Correspondence Reply); 61:72–81
- Teo SG. (see Ong et al). 2013; 61:339–47
- Terp S, Schriger DL. Routine capnographic monitoring is not indicated for all patients undergoing emergency department procedural sedation., 2013;61:698–9 (Clinical Controversies)
- Terzis A. (see Bianchi et al). 2013; 61:37–43
- Thoma TG. (see Patek and Thoma). 2013; 61:704–6 (NHTSA Notes)
- Thompson JR. (see Kline et al). 2013; 61:122–4 (Correspondence)
- Thrun MW. (see Haukoos et al). 2013; 61:353–61
- Tibbles C. (see Kessler et al). 2013; 61:161–6 (Concepts)
- Timbie JW, Ringel JS, Fox DS, Pillemer F, Waxman DA, Moore M, Hansen CK, Knebel AR, Ricciardi R, Kellermann AL. Systematic review of strategies to manage and allocate scarce resources during mass casualty events., 2013; 61:677–89 (Review Article)
- Todd KH. (see Reyes-Gibby and Todd). 2013; 61:373–4 (Correspondence)
- Tomaszewski C. (see Darracq et al). 2013; 61:254–5 (Correspondence Reply)
- Trimech MN. (see Bouida et al). 2013; 61:521–7
- Trueger NS. (see Reiter et al). 2013; 61:110–3 (Residents' Perspective)
- Tsung JW. (see Rabiner et al). 2013; 61:9–17
- Tudor GJ, Hafner JW. In infants younger than 24 months old and with bronchiolitis, does nebulized epinephrine improve clinical status?, 2013;61:289–90 (Systematic Review Snapshot)
- Tunik MG. (see Nigrovic et al). 2013; 61:389–93 (Brief Research Report)

V

- Vagi SJ, Sheikh S, Brackney M, Smolinske S, Warrick B, Reuter N, Schier JG. Passive multistate surveillance for neutropenia after use of cocaine or heroin possibly contaminated with levamisole., 2013;61:468–74
- Vailhen DR-A. (see Ortega-Deballon et al). 2013; 61:255–6 (Correspondence)
- Van Haitsma M. (see Rhodes et al). 2013; 61:394–403
- Vandermeer B. (see Heinrichs et al). 2013; 61:444–54
- Vanni S, Viviani G, Baioni M, Pepe G, Nazerian P, Socci F, Bartolucci M, Bartolini M, Grifoni S. Prognostic value of plasma lactate levels among patients with acute pulmonary embolism: the thrombo-embolism lactate outcome study., 2013;61:330–8
- Varney SM. Medical toxicology of drug abuse—synthesized chemicals and psychoactive plants., 2013;61:376 (Book and Media Reviews)
- Veenstra DL. (see Boudreau et al). 2013; 61:46–55
- Velez L. (see Green et al). 2013; 61:595 (Images in Emergency Medicine)
- Vergouwen MDI, Rinkel GJE. Clinical suspicion of subarachnoid hemorrhage and negative head computed tomographic scan performed within 6 hours of headache onset—no need for lumbar puncture., 2013;61:503–4 (Correspondence)
- Villa KF. (see Boudreau et al). 2013; 61:46–55

- Vinson DR. (see Mark et al). 2013; (see Nishijima et al). 2013; (see Patel and Vinson). 2013; 61:126–7 (Correspondence Reply); 61:504–5 (Correspondence Reply); 61:631–7
- Viviani G. (see Vanni et al). 2013; 61:330–8
- Vreeman RC. (see House et al). 2013; 61:1–8

W

- Wadman MC. (see Casaletto et al). 2013; 61:578–83 (Concepts)
- Wahl RP. (see Smith-Coggins et al). 2013; 61:584–92 (Special Contribution)
- Wall SP. (see Doran et al). 2013; 61:312–21
- Wallach AB. (see Doran et al). 2013; 61:312–21
- Walter S. (see Georgiou et al). 2013; 61:644–53 (Review Article)
- Waltzman M. (see Levy et al). 2013; 61:281–8
- Ward NT. (see Darracq et al). 2013; 61:254–5 (Correspondence Reply)
- Warrick B. (see Vagi et al). 2013; 61:468–74
- Waterbrook AL, Hiller K, Berkman M, Hays DP. A single review article cannot define a standard of care for uncomplicated wounds., 2013;61:502–3 (Correspondence Reply)
- Waterbrook AL, Hiller K, Hays DP, Berkman M. Do topical antibiotics help prevent infection in minor traumatic uncomplicated soft tissue wounds?, 2013;61:86–8 (Best Available Evidence)
- Waxman DA. (see Timbie et al). 2013; 61:677–89 (Review Article)
- Waxman DA, Keeler E. Can quality-adjusted life-years and subgroups help us decide whether to treat late-arriving stroke patients with tissue plasminogen activator?, 2013;61:56–7 (Editorial)
- Wears R. (see Kessler et al). 2013; 61:161–6 (Concepts)
- Wears RL. (see Edlow et al). 2013; 61:225–43 (Clinical Policy)
- Weiner DS. (see Green et al). 2013; 61:595 (Images in Emergency Medicine)
- Weiss RE. (see Sun et al). 2013; 61:605–11
- Weissman D. (see Quest et al). 2013; 61:661–7 (Concepts)
- Welch RD. (see Carr and Welch). 2013; 61:518–9 (Editorial)
- Wesley AK. (see Lu et al). 2013; 61:215–21 (Concepts)
- Wessman B. (see Mohr and Wessman). 2013; 61:697–8 (Clinical Controversies)
- Westbrook J. (see Callen et al). 2013; (see Georgiou et al). 2013; 61:131–44; 61:644–53 (Review Article)
- White N. (see Nishijima et al). 2013; 61:509–17
- Wilcox SR, Brown DFM, Elmer J. Video laryngoscopy is a valuable adjunct in emergency airway management but is not sufficient as an exclusive method of training residents., 2013;61:252–3 (Correspondence)
- Williams ND. (see Doran et al). 2013; 61:312–21
- Wintemute G. (see Ranney et al). 2013; 61:700–2 (Editorial)
- Wintour K. (see Goergen et al). 2013; 61:500–1 (Correspondence)
- Wishart I. (see Louis et al). 2013; 61:404–6 (Systematic Review Snapshot)
- Wong ASL. (see Ong et al). 2013; 61:339–47
- Woods R. (see Kessler et al). 2013; 61:161–6 (Concepts)
- Wootton-Gorges SW. (see Nigrovic et al). 2013; 61:389–93 (Brief Research Report)
- Wu TS, Pearson T. Healthy 51-year-old male with peritonsillar swelling., 2013; 61:520 (Images in Emergency Medicine)

Y

- Yadav K. (see Shokoohi et al). 2013; 61:198–203
- Yealy DM. (see Pacella and Yealy). 2013; 61:33–4 (Editorial)
- Yeh JST. (see Herbert-Cohen et al). 2013; 61:278 (Images in Emergency Medicine)

Z

- Zane RD. (see Burke et al). 2013; 61:303–11
- Zingmond D. (see Sun et al). 2013; 61:605–11